



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Arch Materials

Batavia, OH 45103

Collected: 4/21/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		71	%
#60 US Sieve		36	%
#8 US Sieve		97	%
Calcium3	30	40.1	%
ENP	1000 Lb/Tn	1339	lbs/ton
Magnesium3	1	0.14	%
Moisture3		4.64	%
Total Neutralizing Power	100	112.9	%

Site: Area Aggregates

Woodville, OH 43469

Collected: 4/20/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		98	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21.4	25.1	%
ENP	1997 lb/Tn	2088	lb/ton
Magnesium3	13	14.8	%
Moisture3		8.75	%
Total Neutralizing Power	109	114.4	%

Site: Area Aggregates

Woodville, OH 43469

Collected: 4/20/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		85	%
#20 US Sieve		97	%
#60 US Sieve		93	%
#8 US Sieve		99	%
Calcium3		23.4	%
ENP		1830	lbs/ton
Magnesium3		13.9	%
Moisture3		21.59	%
Total Neutralizing Power		116.7	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Bluffton Stone Co.

Bluffton, OH 45817

Collected: 4/6/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		61	%
#20 US Sieve		92	%
#60 US Sieve		84	%
#8 US Sieve		99	%
Calcium3	20	25.0	%
ENP	1482	1804	lbs/ton
Magnesium3	12	14.9	%
Moisture3		2.27	%
Total Neutralizing Power	96	102.3	%

Site: C.F. Poeppelman, Inc.

Bradford, OH 45308

Collected: 6/14/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		77	%
#20 US Sieve		98	%
#60 US Sieve		82	%
#8 US Sieve		100	%
Calcium3	20	21.21	%
ENP	1400 Lb/tn	1915	lbs/ton
Magnesium3	11	12.65	%
Moisture3		4.89	%
Total Neutralizing Power	100	109.4	%

Site: Carmeuse Lime

Millersville, OH 43435

Collected: 4/28/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		76	%
#60 US Sieve		62	%
#8 US Sieve		94	%
Calcium3	21	24.6	%
ENP	65	1536	lbs/ton
Magnesium3	12	14.4	%
Moisture3		6.98	%
Total Neutralizing Power	103	111.6	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Con-Ag Inc.

St. Marys, OH 45885

Collected: 4/16/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		80	%
#20 US Sieve		99	%
#60 US Sieve		92	%
#8 US Sieve		100	%
Calcium3	20	26.6	%
ENP	1650 lb/Tn	1832	lbs/ton
Magnesium3	12	15.2	%
Moisture3		13.08	%
Total Neutralizing Power	100	109.3	%

Site: Cox Paving-Lynchburg Pla

Leesburg, OH 45135

Collected: 4/1/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		96	%
#60 US Sieve		94	%
#8 US Sieve		98	%
Calcium3	23	34.5	%
ENP	1300 Lb/Tn	1296	lbs/ton
Magnesium3	1	2.99	%
Moisture3		14.32	%
Total Neutralizing Power	66	79.1	%

Site: Cumberland Limestone

Cumberland, OH 43732

Collected: 5/20/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		23	%
#20 US Sieve		56	%
#60 US Sieve		31	%
#8 US Sieve		94	%
Calcium3	19.6	22.7	%
ENP	736 Lb/Tn	951	lbs/ton
Magnesium3	5.62	2.98	%
Moisture3		4.71	%
Total Neutralizing Power	78.4	93.1	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Custar Stone Co.

Custar, OH 43511

Collected: 4/12/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		74	%
#60 US Sieve		45	%
#8 US Sieve		96	%
Calcium3	18.92	22.2	%
ENP	1293.6 lb/Tn	1194	lbs/ton
Magnesium3	10.93	12.6	%
Moisture3		11.02	%
Total Neutralizing Power	102.9	100.4	%

Site: Erie Materials, Inc., Sandu Sandusky, OH 44870

Collected: 4/21/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		85	%
#20 US Sieve		99	%
#60 US Sieve		94	%
#8 US Sieve		100	%
Calcium3	28	34.6	%
ENP	1750 lb/Tn	1858	lbs/ton
Magnesium3	5	7.81	%
Moisture3		11.82	%
Total Neutralizing Power	94	108.4	%

Site: Fremont Water Treatment Tremont, OH 43420

Collected: 4/20/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	28.1	29.5	%
ENP	471 lb/Tn	431	lb/ton
Magnesium3	4.81	7.49	%
Moisture3		77.74	%
Total Neutralizing Power	94.4	96.9	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

**Site:** Graymont Do-Lime Inc.      Genoa, OH 434430

**Collected:** 4/18/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		71	%
#20 US Sieve		98	%
#60 US Sieve		83	%
#8 US Sieve		100	%
Calcium3	30	33.9	%
ENP	2445 lb/Tn	3125	
Magnesium3	16	17.8	%
Moisture3		2.59	%
Total Neutralizing Power	149	173.6	%

**Site:** Hanson Aggregates      Paulding, OH 45879

**Collected:** 4/5/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		24	%
#20 US Sieve		61	%
#60 US Sieve		40	%
#8 US Sieve		86	%
Calcium3	18%	29.3	%
ENP	775 lb/tn	1176	lbs/ton
Magnesium3	6%	9.89	%
Moisture3		5.55	%
Total Neutralizing Power	85	108.1	%

**Site:** Hanson Aggregates      Sandusky, OH 44870

**Collected:** 4/14/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		66	%
#60 US Sieve		56	%
#8 US Sieve		99	%
Calcium3	26	36.7	%
ENP	1300 Lb/Tn	1386	lbs/ton
Magnesium3	7	6.97	%
Moisture3		8.66	%
Total Neutralizing Power	95	110.6	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Hanson Aggregates      Peebles, OH 45660

Collected: 3/29/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		20	%
#20 US Sieve		62	%
#60 US Sieve		33	%
#8 US Sieve		85	%
Calcium3	20	25.7	%
ENP	1088	1079	lbs/ton
Magnesium3	12	15.0	%
Moisture3		9.53	%
Total Neutralizing Power	100	108.4	%

Site: Hanson Aggregates      Winchester, OH 45697

Collected: 3/29/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		64	%
#60 US Sieve		39	%
#8 US Sieve		86	%
Calcium3	31	34.9	%
ENP	1085 lb/Tn	1116	lbs/ton
Magnesium3	1	1.84	%
Moisture3		4.61	%
Total Neutralizing Power	85	100.2	%

Site: Hanson Aggregates      Peebles, OH 45660

Collected: 3/29/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	26.0	%
ENP	2000 lb/Tn	2163	lbs/ton
Magnesium3	12	14.1	%
Moisture3		.34	%
Total Neutralizing Power	100	108.5	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Hanson Aggregates Castalia, OH 44824

Collected: 4/21/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		62	%
#60 US Sieve		39	%
#8 US Sieve		94	%
Calcium3	30	32.2	%
ENP	1200 Lb/Tn	1218	lbs/ton
Magnesium3	5	7.50	%
Moisture3		3.57	%
Total Neutralizing Power	95	106.7	%

Site: Hanson Aggregates Sylvania, OH 43560

Collected: 4/26/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		66	%
#60 US Sieve		51	%
#8 US Sieve		91	%
Calcium3	23	22.11	%
ENP	1113 lb/Tn	1279	lbs/ton
Magnesium3	10	11.1	%
Moisture3		6.81	%
Total Neutralizing Power	93	105.6	%

Site: Hartz-Promin Co. Marshallville, OH 44645

Collected: 5/11/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3		38.60	%
ENP	1800 Lb/TN	2157	lbs/ton
Magnesium3		0.59	%
Moisture3		.34	%
Total Neutralizing Power	95	108.2	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Huron Lime, In.

Huron, OH 44839

Collected: 4/13/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		93	%
#20 US Sieve		98	%
#60 US Sieve		96	%
#8 US Sieve		100	%
Calcium3	32	41.0	%
ENP	934 lb/Tn	1053	lbs/ton
Magnesium3	1	1.06	%
Moisture3		46.28	%
Total Neutralizing Power	87	100.4	%

Site: Joseph Lime Co.

Lima, OH 45801

Collected: 4/21/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30	36.8	%
ENP	1100 Lb/Tn	1434	lbs/ton
Magnesium3	4	4.14	%
Moisture3		35.29	%
Total Neutralizing Power	98	110.8	%

Site: Marshall Quarry, Inc.

Hillsboro, OH 45133

Collected: 4/1/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		19	%
#20 US Sieve		61	%
#60 US Sieve		32	%
#8 US Sieve		86	%
Calcium3	20	21.10	%
ENP	1200 lb/Tn	1069	lbs/ton
Magnesium3	10	12.35	%
Moisture3		7.60	%
Total Neutralizing Power	100	106.3	%





# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

**Site:** Martin Marietta Magnesia      Woodville, OH 43469

**Collected:** 4/20/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		<b>38</b>	%
#20 US Sieve		<b>74</b>	%
#60 US Sieve		<b>46</b>	%
#8 US Sieve		<b>88</b>	%
Calcium3	22	<b>24.3</b>	%
ENP	1250 Lb/Tn	<b>1429</b>	lbs/ton
Magnesium3	13	<b>14.4</b>	%
Moisture3		<b>7.56</b>	%
Total Neutralizing Power	105	<b>117.8</b>	%

**Site:** Melvin Stone Co.      Wilmington, OH 45177

**Collected:** 5/24/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		<b>67</b>	%
#20 US Sieve		<b>99</b>	%
#60 US Sieve		<b>86</b>	%
#8 US Sieve		<b>100</b>	%
Calcium3	21	<b>21.0</b>	%
ENP	1450 lb/tn	<b>1947</b>	lbs/ton
Magnesium3	12	<b>12.5</b>	%
Moisture3	Check	<b>4.66</b>	%
Total Neutralizing Power	103	<b>108.6</b>	%

**Site:** MGQ, Inc.      Old Fort, OH 44861

**Collected:** 4/7/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		<b>44</b>	%
#20 US Sieve		<b>94</b>	%
#60 US Sieve		<b>70</b>	%
#8 US Sieve		<b>96</b>	%
Calcium3	21	<b>24.6</b>	%
ENP	1656 lb/Tn	<b>1888</b>	lbs/ton
Magnesium3	12	<b>14.7</b>	%
Moisture3		<b>7.55</b>	%
Total Neutralizing Power	109.9	<b>120.4</b>	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

**Site:** MGQ, Inc.

Old Fort, OH 44861

**Collected:** 4/7/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		76	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3		25.9	%
ENP		2326	lbs/ton
Magnesium3		15.5	%
Moisture3		.87	%
Total Neutralizing Power		117.3	%

**Site:** National Lime & Stone Co.

Marion, OH 43302

**Collected:** 4/7/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		84	%
#60 US Sieve		61	%
#8 US Sieve		100	%
Calcium3	24%	26.8	%
ENP	1260 lb/Tn	1527	lbs/ton
Magnesium3	6%	12.0	%
Moisture3		13.28	%
Total Neutralizing Power	95%	112.9	%

**Site:** National Lime & Stone Co.

Bucyrus, OH 44820

**Collected:** 4/7/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		59	%
#20 US Sieve		91	%
#60 US Sieve		76	%
#8 US Sieve		99	%
Calcium3	30%	36.4	%
ENP	1355 Lb/Tn	1796	lbs/ton
Magnesium3	4%	6.54	%
Moisture3		5.65	%
Total Neutralizing Power	97%	109.9	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: National Lime & Stone Co. Buckland, OH 45819

Collected: 4/16/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		68	%
#60 US Sieve		38	%
#8 US Sieve		96	%
Calcium3	21	24.5	%
ENP	1200 Lb/Tn	1226	lbs/ton
Magnesium3	12	14.3	%
Moisture3		10.53	%
Total Neutralizing Power	102	111.2	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/19/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		52	%
#20 US Sieve		90	%
#60 US Sieve		66	%
#8 US Sieve		98	%
Calcium3	21	25.9	%
ENP	1465 Lb/Tn	1793	lbs/ton
Magnesium3	12	14.8	%
Moisture3		9.22	%
Total Neutralizing Power	105	120.4	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/19/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		n/a	%
#20 US Sieve		n/a	%
#60 US Sieve		n/a	%
#8 US Sieve		n/a	%
Calcium3	12	21.5	%
ENP	1200 Lb/Tn	1631	lbs/ton
Magnesium3	7	12.4	%
Moisture3		15.25	%
Total Neutralizing Power	60	96.2	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: National Lime & Stone Co. Delaware, OH 43015

Collected: 4/20/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		53	%
#20 US Sieve		82	%
#60 US Sieve		60	%
#8 US Sieve		98	%
Calcium3	27.15	31.8	%
ENP	1555 lb/Tn	1622	lbs/ton
Magnesium3	6.77	9.10	%
Moisture3		4.55	%
Total Neutralizing Power	105.8	111.2	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/21/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		96	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	25.5	%
ENP	2060 Lb/TN	2558	lbs/ton
Magnesium3	12	14.9	%
Moisture3		0	%
Total Neutralizing Power	105	127.9	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/21/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	30	33.8	%
ENP	1885 Lb/Tn	2491	lbs/ton
Magnesium3	4	9.39	%
Moisture3		.29	%
Total Neutralizing Power	97	125.4	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Newark Water Treatment Newark, OH 43055

Collected: 1/4/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	36.1	<b>31.9</b>	%
ENP	1353 lb/TN	<b>1154</b>	lbs/ton
Magnesium3	2.35	<b>2.72</b>	%
Moisture3		<b>39.15</b>	%
Total Neutralizing Power	205.2	<b>94.8</b>	%

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 3/25/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		<b>44</b>	%
#20 US Sieve		<b>81</b>	%
#60 US Sieve		<b>56</b>	%
#8 US Sieve		<b>99</b>	%
Calcium3	20	<b>22.7</b>	%
ENP	1323 lb/Tn	<b>1426</b>	lbs/ton
Magnesium3	11	<b>13.4</b>	%
Moisture3		<b>12.50</b>	%
Total Neutralizing Power	100	<b>109.2</b>	%

Site: Piqua Mineral Piqua, OH 45356

Collected: 4/26/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		<b>64</b>	%
#20 US Sieve		<b>98</b>	%
#60 US Sieve		<b>76</b>	%
#8 US Sieve		<b>100</b>	%
Calcium3	34	<b>38.3</b>	%
ENP	1735 lb/Tn	<b>1982</b>	
Magnesium3	4	<b>4.27</b>	%
Moisture3		<b>0</b>	%
Total Neutralizing Power	100	<b>110.6</b>	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: Shelly Materials, Inc. Ostrander, OH 43061

Collected: 4/15/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		82	%
#60 US Sieve		72	%
#8 US Sieve		97	%
Calcium3	28	39.3	%
ENP	1300 lb.Tn	1733	lbs/ton
Magnesium3	3	6.69	%
Moisture3		4.85	%
Total Neutralizing Power	95	112.4	%

Site: Shelly Materials, Inc. W. Mansfield, OH 43358

Collected: 4/29/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		35	%
#20 US Sieve		78	%
#60 US Sieve		48	%
#8 US Sieve		94	%
Calcium3	20	23.3	%
ENP	1150 lb/tn	1338	lbs/ton
Magnesium3	10	13.7	%
Moisture3		7.55	%
Total Neutralizing Power	98	104.6	%

Site: Shelly Materials, Inc. Forest, OH 45840

Collected: 4/29/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		81	%
#60 US Sieve		44	%
#8 US Sieve		98	%
Calcium3	20	24.7	%
ENP	1190 Lb/Tn	1211	lbs/ton
Magnesium3	11	15.1	%
Moisture3		14.33	%
Total Neutralizing Power	95	101.5	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

<b>Site:</b> Shelly Materials, Inc.	Belle Center, OH 43310	<b>Collected:</b> 4/29/2010
<b><u>Test</u></b>	<b><u>Claim</u></b>	<b><u>Result</u>    <u>Units</u></b>
#100 US Sieve		<b>29</b> %
#20 US Sieve		<b>61</b> %
#60 US Sieve		<b>42</b> %
#8 US Sieve		<b>96</b> %
Calcium3	21	<b>23.3</b> %
ENP	1100 lb/Tn	<b>1111</b> lb/ton
Magnesium3	10	<b>13.5</b> %
Moisture3		<b>8.56</b> %
Total Neutralizing Power	100	<b>100.6</b> %

---

<b>Site:</b> Shelly Materials, Inc.	E. Fultonham, OH 43735	<b>Collected:</b> 5/20/2010
<b><u>Test</u></b>	<b><u>Claim</u></b>	<b><u>Result</u>    <u>Units</u></b>
#100 US Sieve		<b>44</b> %
#20 US Sieve		<b>77</b> %
#60 US Sieve		<b>52</b> %
#8 US Sieve		<b>94</b> %
Calcium3	28	<b>28.8</b> %
ENP	1200 Lb/Tn	<b>1465</b> lbs/ton
Magnesium3	3	<b>3.39</b> %
Moisture3		<b>2.55</b> %
Total Neutralizing Power	90	<b>106.8</b> %

---

<b>Site:</b> Stone Co.	Maumee, OH 43537	<b>Collected:</b> 4/6/2010
<b><u>Test</u></b>	<b><u>Claim</u></b>	<b><u>Result</u>    <u>Units</u></b>
#100 US Sieve		<b>84</b> %
#20 US Sieve		<b>92</b> %
#60 US Sieve		<b>89</b> %
#8 US Sieve		<b>98</b> %
Calcium3	21%	<b>23.1</b> %
ENP	1580 lb/tn	<b>1801</b> lbs/ton
Magnesium3	11%	<b>13.6</b> %
Moisture3		<b>12.22</b> %
Total Neutralizing Power	101%	<b>111.5</b> %

---



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

<b>Site:</b> Stone Co.	Carey, OH 43316	<b>Collected:</b> 4/19/2010
<b>Test</b>	<b>Claim</b>	<b>Result</b> <b>Units</b>
#100 US Sieve		82 %
#20 US Sieve		98 %
#60 US Sieve		91 %
#8 US Sieve		100 %
Calcium3	21	24.5 %
ENP	1700	1857 lbs/ton
Magnesium3	12	15.4 %
Moisture3		10.46 %
Total Neutralizing Power	105	109.5 %

<b>Site:</b> Stone Co.	Convoy, OH 45832	<b>Collected:</b> 4/19/2010
<b>Test</b>	<b>Claim</b>	<b>Result</b> <b>Units</b>
#100 US Sieve		71 %
#20 US Sieve		83 %
#60 US Sieve		77 %
#8 US Sieve		94 %
Calcium3	19	24.8 %
ENP	1400 Lb/TN	1512 lbs/ton
Magnesium3	11	14.4 %
Moisture3		8.54 %
Total Neutralizing Power	101	99.8 %

<b>Site:</b> Stone Co.	Celina, OH 45822	<b>Collected:</b> 4/28/2010
<b>Test</b>	<b>Claim</b>	<b>Result</b> <b>Units</b>
#100 US Sieve		20 %
#20 US Sieve		56 %
#60 US Sieve		31 %
#8 US Sieve		91 %
Calcium3	20	26.9 %
ENP	1050 lb/Tn	1157 lbs/ton
Magnesium3	12	14.9 %
Moisture3		4.09 %
Total Neutralizing Power	103	113.8 %





# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

<b>Site:</b> Stone Co.	Perrysburg, OH 43551	<b>Collected:</b> 4/29/2010
<b><u>Test</u></b>	<b><u>Claim</u></b>	<b><u>Result</u></b> <b><u>Units</u></b>
#100 US Sieve		<b>86</b> %
#20 US Sieve		<b>92</b> %
#60 US Sieve		<b>89</b> %
#8 US Sieve		<b>98</b> %
Calcium3	21	<b>25.65</b>
ENP	1580 lb/Tn	<b>1722</b> lbs/ton
Magnesium3	11	<b>12.8</b> %
Moisture3		<b>13.82</b> %
Total Neutralizing Power	101	<b>108.6</b> %

<b>Site:</b> Stone Co.	Portage, OH 43451	<b>Collected:</b> 5/25/2010
<b><u>Test</u></b>	<b><u>Claim</u></b>	<b><u>Result</u></b> <b><u>Units</u></b>
#100 US Sieve		<b>81</b> %
#20 US Sieve		<b>93</b> %
#60 US Sieve		<b>88</b> %
#8 US Sieve		<b>98</b> %
Calcium3	19	<b>19.2</b> %
ENP	1550 Lb/Tn	<b>1864</b> lbs/ton
Magnesium3	11	<b>12.1</b> %
Moisture3		<b>8.63</b> %
Total Neutralizing Power	102	<b>110.9</b> %

<b>Site:</b> The Andersons	Carey, OH 43316	<b>Collected:</b> 4/21/2010
<b><u>Test</u></b>	<b><u>Claim</u></b>	<b><u>Result</u></b> <b><u>Units</u></b>
#100 US Sieve		<b>N/A</b> %
#20 US Sieve		<b>N/A</b> %
#60 US Sieve		<b>N/A</b> %
#8 US Sieve		<b>N/A</b> %
Calcium3	20	<b>25.2</b> %
ENP	1900 lb/Tn	<b>2326</b> lbs/ton
Magnesium3	12	<b>14.7</b> %
Moisture3		<b>2.35</b> %
Total Neutralizing Power	97	<b>119.1</b> %



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: The Andersons

Carey, OH 43316

Collected: 4/21/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	30	32.8	%
ENP	1860 LB/TN	2156	lbs/ton
Magnesium3	4	6.45	%
Moisture3		2.97	%
Total Neutralizing Power	93	111.1	%

Site: Tyler Grain & Fertilizer

Smithville, OH 44677

Collected: 5/3/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		70	%
#60 US Sieve		51	%
#8 US Sieve		93	%
Calcium3	26	23.5	%
ENP	1300 Lb/Tn	1353	lbs/ton
Magnesium3	7	8.80	%
Moisture3		4.65	%
Total Neutralizing Power	95	105.9	%

Site: Tyler Grain & Fertilizer

Smithville, OH 44677

Collected: 5/3/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	27.8	%
ENP	1850 Lb/Tn	2089	lbs/ton
Magnesium3	4	6.00	%
Moisture3		1.46	%
Total Neutralizing Power	93	106.0	%



# Consumer Analytical Laboratory

Ohio Department of Agriculture  
Consumer Analytical Laboratory  
8995 East Main St. Bldg 3  
Reynoldsburg, OH 43068  
Phone: (614) 728-6230

## ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2010 - 11/3/2010

Site: White Rock Quarry LP

Collected: 4/19/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		83	%
#20 US Sieve		92	%
#60 US Sieve		89	%
#8 US Sieve		97	%
Calcium3	20	22.1	%
ENP	1600 lb/Tn	1432	lb/ton
Magnesium3	10	13.2	%
Moisture3		29.36	%
Total Neutralizing Power	102	110.4	%

Site: Wyandot Dolomite, Inc.

Carey, OH 43316

Collected: 4/19/2010

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		76	%
#60 US Sieve		54	%
#8 US Sieve		97	%
Calcium3	21	26.3	%
ENP	1625 lb/Tn	1422	lbs/ton
Magnesium3	12	15.0	%
Moisture3		10.22	%
Total Neutralizing Power	105	110.9	%