

RULE NUMBER	DESCRIPTION OF REGULATORY RESTRICTION	STATUTE UNDER WHICH THE REGULATORY RESTRICTION WAS ADOPTED	IS THE REGULATORY RESTRICTION EXPRESSLY OR SPECIFICALLY REQUIRED BY STATE OR FEDERAL LAW?	IS A LAW CHANGE REQUIRED IN ORDER TO REMOVE THE RESTRICTION?
OAC 901:9-1-01(A)	No person shall operate an amusement ride, as defined in section 1711.50 of the Revised Code, without a permit issued pursuant section 1711.53 of the Revised Code and this rule.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(B)(1)	Shall issue permit if conditions are met	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(B)(2)	The department shall within thirty days of receiving an application for an amusement ride or device permit	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(B)(2)	shall decide whether or not to issue a permit.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(B)(2)	In the event of a denial, the owner shall be afforded a hearing in accordance with Chapter 119. of the Revised Code.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(C)(1)	Shall expire on the thirty-first day of December following the date of issue	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(C)(2)	Shall be issued on a twelve-month basis	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(C)(2)	Shall expire on the three hundred sixty-fifth day after issuance	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(C)(2)	In the case of a leap year, the permit shall expire on the three hundred sixty-sixth day after issuance.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(C)(3)	Shall be responsible for obtaining a new permit in the new owner's name.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(D)(1)	(1) At least thirty days prior to the operation of any amusement ride or device, the owner shall submit to the director all of the following for all rides that the owner intends to operate in Ohio: application, fees, etc.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(D)(1)(c)(i)	For inflatable rides, the annual inspection and reinspection fee shall be one hundred four dollars.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(D)(1)(c)(ii)	For all other rides, the annual inspection and reinspection fee shall be in accordance with division (E)(1) of section 1711.53 of the Revised Code.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(E)(1)	(1) Each owner is required to have insurance coverage and provide proof of such coverage to the department.	ORC 1711.54	Yes, state law	Yes, state law
OAC 901:9-1-01(E)(3)	Proof of insurance shall include the amount and duration of the coverage and either	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(E)(3)(b)	Exclusions from insurance coverage must be explicitly documented by insurance company	ORC 1711.53(A)(2)	Yes, state law	Yes, state law
OAC 901:9-1-01(F)(1)	All owners of portable amusement rides shall submit with their ride permit application their yearly itinerary as known.	ORC 1711.55(C)	Yes, state law	Yes, state law
OAC 901:9-1-01(F)(2)	The itinerary shall include:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(F)(2)(e)	(e) The approximate number of adult and kiddie rides which shall be operated; and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-01(F)(3)	(3) The permit holder shall report to the amusement ride safety division any changes, additions, or deletions to the itinerary at least ten days prior to the date the changes, additions, or deletions are scheduled to occur.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(G)(1)	All rides must be completely assembled and operational prior to the initial inspection.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(G)(2)	The ride shall pass inspection when it has been determined by the department that it meets all applicable laws and rules.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(G)(3)	Any new permanent rides or those with major modifications must comply with the Ohio basic building code permit requirements.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(H)(1)	All rides must be completely assembled and operational prior to the midseason operational inspection.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(H)(3)	Midseason operational inspections shall consist of, but not be limited to, review of operation, maintenance and safety procedures and all necessary record keeping in order to satisfactorily determine that the owner is in compliance with department regulations.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(H)(4)	All midseason operational inspections shall be recorded on a form developed by the department	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(H)(4)	and a copy shall be given to the owner after completion by the inspector.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(I)	Any violations that are discovered during these inspections shall be enforced in the same manner of those violations discovered in the initial and midseason inspections.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(J)	Accompanying such permit shall be a decal with a unique number corresponding to the unique number noted on the permit.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-01(J)	In addition to the decal referred to in this rule, the department shall issue a permanent identification plate for all permitted rides.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(J)	Such plate shall be permanently attached to the ride as part of the licensing procedures.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(J)	On all annually licensed rides, the decal shall be affixed to the permanent plate.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(B)	(B) Ride inspectors or other designees of the department are authorized by the director to prohibit the operation of any ride found to be in an unsafe condition, or the ride was not set-up, and ready to operate at the time ready for inspection listed on the ride company's itinerary on file with the department, by issuing a "Stop Operation Order" as provided in division (F) of section 1711.55 of the Revised Code.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)	The "Stop Operation Orders" shall be issued as follows:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(1)	The inspector shall fill out the "Stop Operation Order" form in triplicate.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(1)	The order shall contain the reason for the order.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-02(C)(2)	The owner shall sign all copies, retaining one for his own use.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(2)	The inspector shall retain one for the department's use.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(2)	The third copy shall be forwarded immediately to the individual or group responsible for the event.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(3)	The inspector shall place on the ride or device, in clear view of potential riders, a "Stop Operation Order" sign stating "Temporarily closed by the Ohio Department of Agriculture."	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(3)	This sign shall be in place prior to his leaving the event or park.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(3)	This sign shall be part of the order	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-02(C)(3)	and shall remain posted until removed by an inspector or other designee of the department.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-02(D)	No ride or device shall be open to the public while a "Stop Operation Order" is outstanding against it.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-03(A)	No person shall interfere with any inspector in the performance of his lawful duties of inspection under the rules of this chapter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(1)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code under any of the following conditions: (1) When the amusement ride or device does not have a valid permit.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(2)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code... (2) When the amusement ride or device is not covered by the required insurance.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(3)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code... (3) When the amusement ride or device is in an unsafe condition that could cause a hazard to riders, employees or the public.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(4)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code... (4) When the operation of the ride is being conducted in a negligent, reckless or careless manner.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-03(B)(5)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code...(5) When any employee or operator appears to be impaired due to the influence of alcohol, drugs or is fatigued.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(6)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code...(6) When the amusement ride does not conform to the manufacturer's required operation and maintenance procedure, updated bulletins and/or directives.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(7)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code...(7) While a "Stop Operation Order" is in effect.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(8)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code...(8) Following the expiration date of any safety order when the required corrective action has not been accomplished.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(8)	The owner of an amusement ride or device to whom a safety order is issued shall file a signed and dated copy of the safety order with the department no later than twenty-four hours after the date specified in the safety order for compliance with the order.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(9)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code...(9) In violation of any other rule adopted pursuant to section 1711.53 of the Revised Code.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(10)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code...(10) During any period when the ride permit is suspended by the director.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-03(B)(11)	No person shall operate or contract to operate, or offer to operate by means of renting or leasing, an amusement ride or device as defined in division (A) of section 1711.50 of the Revised Code... (11) Until a daily pre-opening inspection of the ride has been completed.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-03(B)(11)	The inspection records shall be maintained for a minimum of the current calendar year plus the two prior calendar years.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(A)	The owner of an amusement ride shall ensure that the ride or device is well maintained and conforms to the manufacturer's or equivalent specifications or in the absence of such specifications, generally accepted engineering standards and practices.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-04(B)	Inspection of amusement rides and devices shall be conducted by authorized inspectors of the department in accordance with the provisions of rules 901:9-1-01 to 901:9-1-47 of the Administrative Code.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(B)	These inspectors shall file a form provided for this purpose for every ride or device they inspect.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(B)	This form shall be kept on file in the amusement ride safety division of the department for a minimum of two years following the term of the permit application to that particular ride or device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(B)	All rides submitted for inspection shall show evidence that the ride is in substantial compliance with all owner requirements of American society for testing and materials, volume 15.07, 2003 edition, (ASTM) standards regarding amusement rides currently in effect	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-04(B)	except go karts shall be in compliance with the standards set forth in rules 901:9-1-42 to 901:9-1-47 of the Administrative Code plus any additional requirements as may be set forth in this chapter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(B)	the owner shall contact said manufacturer by certified mail requesting said information to be supplied with a copy of the request being submitted with his application for licensing to the department.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(B)	the owner shall generate a fact sheet consisting of all known information relative to normal manufacturer suppliable data.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(B)	Effective January 1, 1991, no new amusement ride shall be licensed in the state of Ohio unless it is in compliance with ASTM standards	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-04(C)	If the inspector finds the ride to be in an unsafe condition, he shall issue a "Stop Operation Order" in accordance with rule 901:9-1-02 of the Administrative Code.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-04(D)	All aerial passenger tramway-type rides shall comply with American National Standards Institute, B 77.1 1992 edition, (ANSI B-77) standards as currently in effect.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-05(A)	The owner of an amusement ride shall maintain a current maintenance, repair, pre-opening inspection and inspection record for each amusement ride.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-05(A)	The owner shall keep these records for not less than two calendar years.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-05(B)	Each owner of an amusement ride or device shall read and become familiar with the contents of the manufacturer's maintenance instructions and specifications.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-05(B)	Based on the manufacturer's recommendations, each owner shall implement a program of maintenance, and pre-opening inspections.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-05(B)	This program shall encompass all care required for the safe operation of each amusement ride or device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-05(C)	This program of maintenance shall include a pre-opening checklist to be made available to each person performing the regularly scheduled maintenance on each ride or device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-05(C)	The owner checklist, on a ride-by-ride basis, shall include, but not necessarily limited to:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-05(D)	The owner of the amusement ride or device shall provide training for each person performing the regularly scheduled maintenance on the ride or device, pertaining to their assigned duties.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-05(D)	This training shall include, but not be limited necessarily to the following:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(A)	All amusement rides or devices operated under section 1711.53 of the Revised Code must bear a numbered decal	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(A)	The number appearing on the decal shall at all times match the number on the permit.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(A)	the ride shall be ordered stopped until proof of a valid permit is furnished.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(B)	All amusement rides or devices must be under the control of a competent trained operator or attendant, at least sixteen years of age, at all times when the ride or device is in operation	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(B)	This operator shall operate no more than one ride at a time.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(C)	Adequate fencing or barriers must be provided for the protection of spectators and riders from the action of the ride and its associated power units;	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(C)	All fencing, if required, shall comply with American society for testing and materials, volume 15.07, 2003 edition, (ASTM) standard 1159 (standard practice for the design and manufacture of amusement rides and devices) by January 1, 2005 regardless of the date of manufacture of the amusement ride or device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(C)	In the case of aerial rides or swings, these barriers must provide a safe distance from the outmost arc of such swing or aerial ride.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-06(C)	For portable rides where an electrical source could contact a ride fence and/or platform, a daily pre-opening inspection shall be performed to ensure that no voltage is traveling through the fence and/or platform.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(C)	This inspection shall be performed by use of a device measuring voltage and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(C)	the inspection shall be documented.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(D)	No amusement ride or device or its power unit shall be so located as to present a fire hazard to adjacent buildings, exhibits or other structures.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(D)	gasoline must be in approved safety containers, and located so that it does not cause a safety hazard.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(E)	All electrical wires leading to and from a ride or device must be protected and insulated so as to prevent shock hazard.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(E)	All electrical equipment must be properly grounded.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(E)	All electrical junction boxes and generator panels/doors shall be locked or sealed and properly identified as such.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(E)	All wiring shall conform to manufacturer's recommended practices.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(E)	All electrical equipment shall be properly grounded prior to energizing the ride or device with power source.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(F)	Any ride when patron restraint is required shall be provided with lap bars or seat belts, or other safety restraints as appropriate.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(F)	Height and weight restrictions may be required on any ride by the department inspector or ride owner.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(G)	(G) The operator of an amusement ride or device shall have the authority to view patrons so that no one is permitted on such ride who appears to be in an intoxicated, drugged or other condition that could be detrimental to the safety of the patrons, the operator or bystanders.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(G)	An operator shall exercise reasonable control to prohibit the wearing of improper attire as prescribed by the owner and prohibit the carrying of any article which might be dropped from the ride.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(H)	An ABC type fire extinguisher meeting the standards of state fire officials shall be present or readily accessible, within a maximum of 100 feet, to every ride or device as determined by the department	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(H)	and must be properly charged and operable at all times.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(I)(1)	The owner of an amusement ride or device shall read and become familiar with the contents of the manufacturer's recommended operating instructions and specifications.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(I)(1)	The owner shall prepare an operating fact sheet.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(I)(1)	This fact sheet shall be made available to each ride or device operator and attendant of the amusement ride or device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-06(I)(1)	The owner's fact sheet (on a ride-by-ride basis) shall include but not be limited to:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(I)(2)	The owner shall develop a written training checklist	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(I)(2)	which shall be used in training to ensure uniformity of training.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(I)(2)	The owner shall provide training, including written proof of training, for each ride operator or attendant of an amusement ride.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(I)(2)	This training shall include but not be limited to:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(J)	The owner shall provide written proof that the fact sheet on each specific ride has been reviewed with the operator and attendant of each ride.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(K)(1)	The owner of an amusement ride or device shall maintain records of all accidents and serious injuries and make reports of all accidents occurring on a ride or device as follows:	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-06(K)(1)(a)	In the case of an accident as defined in section 1711.50 of the Revised Code, the owner shall immediately notify the department by telephone or in person and subsequently file a written report with the department within twenty-four hours of the accident.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-06(K)(2)	After an accident that occurs as a result of the action of the ride or device involved, it shall be taken out of operation and the department immediately notified.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-06(K)(2)	Until the department gives the owner permission, the ride or device shall remain out of operation and undisturbed	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(K)(2)	If the accident occurs during department working hours, the owner shall notify the department by telephone.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(K)(2)	If the accident occurs during department nonworking hours, the owner will notify the department on a toll-free telephone number provided by the department which features an automatic answering service or device.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(K)(2)	The owner shall not disturb the scene of the accident until after either reinspection or approval of the department.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(L)	The owner of an amusement ride shall notify the department when design flaws or failures that may affect rider safety are identified.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(L)	On rides for which the manufacturer is no longer in existence, the owner shall take appropriate corrective action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(L)	An individual with a recognized degree or professional certificate shall determine the corrective action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06(L)	The individual shall have extensive knowledge and experience in the subject field and capable of the analysis, design, and specification of the corrective action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-06(L)	The corrective action shall meet American society for testing and materials, volume 15.07, 2003 edition, (ASTM) F846-standard guide for testing performance of amusement rides and devices and ASTM 1159-standard practice for the design and manufacture of amusement rides and devices.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06.1(B)	Inflatable amusement devices owners and operators shall have the manufacturer's specifications on-hand and available for the department at the time of inspection.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-06.1(D)	Inflatable amusement devices shall not be inflated with flammable gases.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(A)	Each owner shall display or post a sign at each ride containing, at a minimum, the following language:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(A)(1)	(1) "Section 1711.551 of the Revised Code requires that riders must obey all warnings and directions regarding this ride and behave in a manner that will not cause or contribute to injury to themselves or others. Failure to comply is a misdemeanor."	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(A)(2)	Additional language shall be posted setting forth the operational instructions and/or other requirements for the use of the ride or device	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(A)(2)	and shall include height, size or other physical requirements and other duties and obligations of the rider.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(A)(2)	Warnings and directions shall be based on current industry standards, manufacturer's recommendations for a ride, the standards of ASTM, operator rules for the ride based on their knowledge and experience, or other nationally recognized authorities.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(B)	All signs required by this rule shall be prominently placed, clearly visible to the public entering the ride, bold in design, with wording short, simple and to the point.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(B)	All signs shall be clearly legible with letters a minimum of three eights inches high and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-07(B)	shall be displayed on or near each ride.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-01(J)	(J) "Time ready for inspection" shall mean the ride is set up, ready to operate, and the pre-opening inspection has been completed by the owner.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-09	shall be paid by the owner within thirty days of receipt of notice of the fine from the director of the department.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-09(A)	(A) The following violations may be subject to a fine of not more than one thousand dollars for the first violation and not more than five thousand dollars for each subsequent violation on the same or other ride that occurs within two years of the first violation or preceding subsequent violation: Any violation of the prohibitions listed in rule 901:9-1-03 of the Administrative Code.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-09(B)(1)	(1) Violation of any of the requirements listed in divisions (A) to (E) of section 1711.55 of the Revised Code.	ORC 1711.55	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-10	No person shall construct, install, or perform major modifications on an aquatic device until plans are approved	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-11	(G) "10/20 rule" states any patron in a water attraction must be identifiable if in distress within ten seconds by a lifeguard and rescuer contact made within an additional twenty seconds.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-12	Operators must comply with all requirements listed in the manufacturer's manuals except in those areas where specific state laws and rules impose a stricter standard of compliance.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-12.1(A)	Lifeguards required by this chapter to be posted at aquatic devices shall:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-12.1(B)	Shallow water lifeguards required or permitted by this chapter to be posted at aquatic devices shall	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-12.1(C)	Attendants required or permitted by this chapter to be posted at aquatic devices shall:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(A)	Entry to water shall be permitted only at the zero depth entry	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(B)	The wave pool shall be fenced from the wave-generating machinery along the sides of the pool to the point of zero static water depth.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(B)	Fencing shall only be open at points of exit from the pool.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(B)	Patrons shall be protected from the elevated leading edge hazards that may exist along the side walls and back walls of the wave pool through the use of fencing/acceptable barriers.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(B)	Fencing/acceptable barriers shall be installed to prohibit patron access to the leading edges on the elevated sides and rear of the wave pool.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(B)	Fencing and/or acceptable barriers shall comply with ASTM volume 15.07, 2007 edition, "Design and Manufacture of a Patron Directed Artificial Climbing Walls, Dry Slides, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-Supported Structures."	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-13(B)	Employee access gates in perimeter fences must be secured with a latch	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(B)	and a sign must be posted stating "authorized personnel only".	ORC 1711.55	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(D)	All wave pools must have minimum rest periods within each hour of operation	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(E)	Lifeguards must be assigned to guard wave pools at a minimum standard of one lifeguard per two thousand square feet of water surface area over thirty-six inches static water depth available for use to patrons as a minimum, and at times of high pool population, a minimum standard of the 10/20 rule will be in effect.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(E)	A lifeguard staffing program shall be established by the owner	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(E)	Such plan shall be submitted to the department for approval as part of the request for licensing.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(F)	Children under forty-eight inches in height, not accompanied by an adult, must wear a life vest or pass a swimming test in order to gain access to a wave pool.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(H)	They shall be installed so that the outer edge is flush with the vertical wall.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(H)	Handholds shall be constructed such that they are self-draining and so that there are no gaps between the handholds and the pool wall.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(I)	Patrons shall be protected from the wave generation area by a physical barrier or a zone not available to patrons with appropriate signage alerting patrons to the hazards of approaching the wave-generating equipment.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(I)	Physical barriers shall be inspected daily.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(J)	The surface of all wave pools at the shallow entry end shall be such as to provide a slip-resistant surface starting not less than four feet above the water line and including all areas that are wet due to wave action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(K)	Only flotation devices authorized by the owner of the wave pool shall be allowed in the pool, including personal flotation devices.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(K)	All flotation devices shall be such as to preclude injury should wave action cause contact between the flotation device and patron (user or other).	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(L)	In all cases where wave action is suspended for any reason, an audible signal shall be used to signal warning of the impending resumption of wave action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(L)	In those high-wave pools where significant intervals exist between waves, such signal shall sound at least thirty seconds prior to wave action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(M)	Safety equipment shall include one United States coast guard approved type IV personal flotation device (ring buoy or equivalent) per lifeguard station and one spine board with straps per pool.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-13(N)	Permanent lifeguard stations shall be distributed in such a fashion that all pool areas are covered in order to facilitate the lifeguard staffing program stated in paragraph (E) of this rule.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-13(N)	A permanently installed clearly labeled kill switch shall be located at each permanent lifeguard station.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)	Water quality of any aquatic device where full body contact with water exists such as, but not limited to wave pools, water slides, lazy rivers, aquatic activity areas shall be maintained to standards listed below:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(1)	Gas chlorine shall not be used for disinfection of any aquatic device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(2)	If chlorine is used as a disinfectant, there shall be a residual of free chlorine in all parts of the aquatic device, maintained preferably between two and four parts per million (PPM), but not less than one PPM.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(3)	If bromine is used as a disinfectant, there shall be a residual of total bromine in all parts of the aquatic device, maintained preferably between four and six PPM, but not less than two PPM.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(4)	The licensee of an aquatic device shall maintain the water of the device in an alkaline condition as indicated by a PH of not less than 7.2 and not over 7.8.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(5)	The licensee shall ensure that the total alkalinity of an aquatic device is maintained at a minimum of sixty PPM.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(6)	Cyanuric acid, if used, shall not exceed one hundred PPM.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(7)	The licensee shall ensure that the water in an aquatic device has sufficient clarity when in use that a black disc, six inches in diameter, is readily visible when placed on a light field at the deepest point of the pool and is viewed from the pool side when the water is at rest.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(8)	The licensee shall ensure that the water in an aquatic device meets at least one of the two bacteriological standards (fecal coliform or E. Coli), but the licensee is not required to take water samples for bacteriological analysis except when the licensor has reason to believe that the water in an aquatic device does not meet the bacteriological standards.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(A)(8)(c)	The geometric mean fecal coliform content (either MPN or MF) based on not less than four samples within a time period determined by the licensor shall not exceed two hundred per one hundred milliliter with no sample exceeding four hundred per one hundred milliliter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-14(A)(8)(d)	The geometric mean E. Coli content (either MPN or MF) based on not less than four samples within a time period determined by the licensor shall not exceed one hundred twenty-six per one hundred milliliter with no sample exceeding two hundred thirty-five per one hundred milliliter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(B)(1)	The licensee shall ensure that the water in an aquatic device meets at least one of the two bacteriological standards (fecal coliform or E. Coli)	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(B)(1)(a)	The geometric mean fecal coliform content (either MPN or MF) based on not less than four samples within a time period determined by the licensor shall not exceed five thousand per one hundred milliliter (either MPN or MF).	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(B)(1)(b)	The geometric mean E. Coli content (either MPN or MF) based on not less than four samples within a time period determined by the licensor shall not exceed five hundred seventy-six per one hundred milliliter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(B)(2)	Gas chlorine shall not be used for disinfection of any aquatic device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(B)(3)	Free chlorine must be maintained not less than one PPM.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)	Records for both full body water contact and partial body water contact shall be maintained for such a period as dictated by insurance carriers, local legal statutes, and company counselor's advice, or for a minimum of two calendar years.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(1)(a)	Record keeping: All aquatic devices shall maintain records of chemical levels and water quality.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(1)(b)	Records shall report the disinfectant levels and PH of the aquatic device for each day it is in operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(1)(c)	Manual checks, performed with diethyl-p-phenylenediamine (DPD) test kit, shall be recorded at pre opening and each two hours of operation thereafter if the aquatic device does not have automated chemical control.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(1)(d)	Manual checks, performed with a DPD test kit, shall be recorded at pre opening and each four hours of operation thereafter if the aquatic device is equipped with automatic control.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(1)(d)	The manual checks shall be used to calibrate the electronic monitoring devices' accuracy.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(1)(e)	Each four hours of operation after opening, a reading shall be taken from the automatic controller and documented.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(1)(f)	Water balance test results shall be recorded at least weekly.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(2)(a)	Record keeping: All aquatic devices shall maintain records of chemical levels and water quality.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(C)(2)(b)	Records shall report the disinfectant levels for each day it is in operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-14(C)(2)(c)	Manual checks, performed with a DPD test kit, shall be recorded at pre opening of each day of operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(D)(1)	If a fecal release occurs in an aquatic device, the following minimum shall be done:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(D)(1)(e)	Prior to reopening the aquatic device, manual testing shall be taken at representative regions on the water body to ensure the average water body is at least two PPM free available chlorine, and the PH is between 7.2 and 7.8.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(D)(1)(f)	(f) If the fecal release is diarrheal in nature, increase the free chlorine residual to at least five PPM or increase the free bromine to at least eight PPM. Prior to reopening the aquatic device, manual testing shall be taken at representative regions on the water body to ensure the average water body is at least five PPM free available chlorine and the PH is between 7.2 and 7.8.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(D)(1)(g)	Diaper age children and diaper dependent adults shall wear a protective outer wear covering, designed specifically for use in aquatic settings.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(D)(1)(g)	The protective covering must be made of a material that will not allow water to penetrate and have an elasticity at the legs and waist to prohibit any liquid to pass from outside in or inside out.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(E)	Any person with an obvious infectious wound shall not be permitted to use an aquatic device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(E)	No person who is observed passing feces, urine, or blood into an aquatic device shall be permitted to use the aquatic device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14(F)(1)	All facilities containing aquatic devices with full body water contact shall have at least one employee properly trained in sanitation, safety, and proper maintenance of the aquatic device, and all physical and mechanical equipment and be trained in accordance with the standard of one of the following agencies:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(A)	For all aquatic devices, existing on or before December 31, 2011 and which are regulated pursuant to paragraph (A) of rule 901:9-1-14 of the Administrative Code, an ultraviolet disinfection system (UVDS) shall be added to their filtration system according to the following schedule:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(B)	All newly constructed aquatic devices operating to the public for the first time which are regulated pursuant to paragraph (A) of rule 901:9-1-14 of the Administrative Code must have a UVDS as part of their filtration system.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(C)	Such performance must be validated by an industry recognized and capable third party.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-14.1(D)	UVDS' must be certified to meet the NSF/ANSI Standard 50 for pools, spas, hot tubs, and other recreational water facilities.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(E)	All UVDS' must include an automatic alarm to warn of a malfunction or impending shutdown.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(F)	All UVDS' must be installed in an enclosure designed to protect the operator against electrical shock, excessive radiation, and protection from sunlight.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(G)	The ultraviolet equipment, electrical components, wiring, and installation shall comply with all local and national electrical codes and Underwriters Laboratory standards.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(H)	All UVDS must have an accurately calibrated ultraviolet light intensity readout with sensors capable of accurately reading the ultraviolet dosage.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(H)	Sensors shall be calibrated at a frequency in accordance with the manufacturer's recommendations and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(H)	records of valid calibration shall be maintained by the facility.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-14.1(I)	The UVDS shall be installed per the design of an industry recognized and capable third party registered engineer or third party pool designer with sufficient appropriate experience.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(A)	Water quality of an aquatic device shall be maintained to standards listed below:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(A)(1)	The licensee shall ensure that the water in an aquatic device meets at least one of the two bacteriological standards (fecal coliform or E. Coli).	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(A)(1)	The licensee is responsible for ensuring that required water samples are taken and analyzed by a certified or approved testing facility.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(A)(1)(a)(iii)	The geometric mean fecal coliform content (either MPN or MF based on not less than four samples within a four week period (once a week) shall not exceed two hundred per one hundred milliliter with no sample exceeding four hundred per one hundred milliliter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(A)(1)(a)(iv)	The geometric mean E. Coli content (either MPN or MF), based on not less than four samples within a four week period (once a week) shall not exceed one hundred twenty-six per one hundred milliliter with no sample exceeding two hundred thirty-five per one hundred milliliter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(A)(1)(b)(i)	The geometric mean fecal coliform content (either MPN or MF) based on not less than four samples within a four week period (once a week) shall not exceed five thousand per one hundred milliliter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(A)(1)(b)(ii)	The geometric mean E. Coli content (either MPN or MF), based on not less than four samples within a four week period (once a week) shall not exceed five hundred seventy-six per one hundred milliliter.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-15(B)	To assure consistency in collecting samples for analysis, the following procedures shall be used:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(1)	Specific sampling location(s) shall be designated by the department.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(2)	The sample bottle shall be inverted.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(2)	With a sweeping motion, the sample shall be collected from about one foot below the water surface.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(3)	Every precaution shall be taken to minimize sediment or debris in the sample.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(3)	In cases where debris or sediment is present throughout the sample, this information shall be noted on the laboratory form.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(4)	The sampler shall note such items as water temperature and clarity, and general weather conditions.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(5)	If a sample does not meet the bacteriological standards, an additional sample must be taken immediately.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(5)	If the additional sample does not meet the bacteriological standards, the Ohio department of agriculture's amusement ride safety division must be notified	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(B)(5)	and the aquatic device must not operate until the bacteriological standards are met.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(C)(1)	All records of the bacterial analysis for aquatic devices shall be maintained by the licensee.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(C)(1)	The bacterial analysis records shall include date sample collected, location, bacteria count, and geometric mean.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(C)(1)	Records shall be maintained for such a period as dictated by insurance carriers, local legal statutes, and company counselor's advice, or for a minimum of two calendar years.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(D)(1)	Before the issuance of an amusement ride license, the licensee shall submit a procedure for handling a fecal release in the aquatic devices' water to the amusement ride safety division for approval.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(D)(2)	Diaper age children and diaper dependent adults shall wear a protective outer wear covering, designed specifically for use in aquatic settings.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(D)(2)	The protective covering must be made of a material that will not allow water to penetrate and have an elasticity at the legs	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(D)(2)	and waist to prohibit any liquid to pass from outside in or inside out.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(E)	Any person with an obvious infectious wound shall not be permitted to use an aquatic device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(E)	No person who is observed passing feces, urine, or blood into an aquatic device shall be permitted to use the aquatic device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-15(F)	Portable aquatic devices that set up and operate for ten or more days, must meet all standards as set forth in this rule	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-15(F)	or must be drained of all water and refilled with fresh water every ten days.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-16(A)	On activities that are designed for use by one person at a time, teaming and grouping of participants shall not be allowed.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-16(B)	All sliding on aquatic devices shall be in a feet-first position unless manufacturer design specifications specifically permits other safe riding positions.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-16(B)	Absolutely no head-first diving from any slide activity shall be permitted.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(A)	Slide-type attractions which allow a mix of adult and small children riders shall employ a dispatch procedure which will establish spacing between riders to reduce the possibility of collision between riders in the splash pool or while still on the slide.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(B)	A lifeguard/attendant shall be stationed with a clear view and rapid access to any splash pool or run-out.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(C)	Height requirements shall be the manufacturer's recommendation or six inches above static water level and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(C)	shall apply to all slides with shallow water splash pools.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(D)	(D) Patrons must ride all water slides in a feet-first position unless the manufacturer design specifications specifically permits other safe riding positions.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(E)	Stopping, changing positions and forming chains shall be prohibited.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(G)	(G) Life jackets or other personal flotation devices may not be worn on water slides unless recommended by the manufacturer.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(H)	(H) Patrons must exit splash pools/run-outs immediately upon arrival. It will be the responsibility of the lifeguard/attendant supervising all splash pools/run-outs to require patrons to exit immediately.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(J)	An operator shall be stationed at the dispatch point of all rides and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(J)	shall remain in continual visual or verbal contact with the lifeguard/attendant stationed at the splash pool/run-out.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(K)	When an entry pool at the dispatch point exists, an attendant rather than an operator, shall be present.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(L)	Fencing/acceptable barriers shall be installed around low profile sections of the trough and around the sides and back of the splash pool/run-out.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-17(L)	Fencing/acceptable barriers shall comply with American society for testing and materials, volume 15.07, 2007 edition, "Design and Manufacture of Patron Directed Artificial Climbing Walls, Dry Slides, Coin Operated and Purposeful Water Immersion Amusement Rides and Devices and Air-supported Structures."	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(M)	Splash pool fencing/acceptable barriers along the front and rider exits shall be at a minimum, forty-two inch tall posts with three horizontal cables and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(M)	designated exit point(s) shall be installed along the front/rider exit side of a splash pool if the location meets the following criteria:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(M)(5)	sufficient space must exist between run-out troughs such that the presence of the fence/barrier does not impede the safety clearance envelope of the rider in the run-out.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-17(N)	Employee access gates in perimeter fencing must be secured with a latch and post a sign indicating authorized personnel only.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(A)	Height requirements for all patrons shall comply with manufacturer recommendations or be six inches above static water level.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(A)	For depths exceeding forty-eight inches, a lifeguard shall be in attendance at all times and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(A)	coverage shall be such that the entire lazy river is under direct observation by lifeguards, with no area more than two hundred feet from the responsible lifeguard.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(A)	In the event a patron is under the height requirement, they must either be accompanied by an adult or pass a swimming test.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(A)	For water depths of forty-eight inches or less, either an attendant or a lifeguard shall be in attendance at all times and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(A)	coverage shall be such that the entire lazy river is under direct observation by lifeguards or attendants, with no area more than two hundred feet from the responsible lifeguard or attendant.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(C)	Only flotation devices authorized by the waterpark shall be used in the lazy river.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(D)	(D) Patrons must remain in the lazy river until they reach the designated exit.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(E)	Patrons shall be protected from patron-on-surrounding-patron contact hazards that may exist along leading edges of the lazy river through use of fencing/acceptable barriers.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(F)	Fencing/acceptable barriers shall be installed around the perimeter of the lazy river to prohibit unimpeded access to the trough by surrounding patrons.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-18(G)	Perimeter fencing/acceptable barriers shall, at a minimum, consist of forty two inch tall posts with three horizontal cables that have sufficient height and density to discourage surrounding guest access from any non-designated entry points.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(H)	Designated entry and exit access points shall be clearly posted.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(I)	(I) Leading edges of elevated walkways or bridges that cross over or run adjacent to the lazy river troughs must be guarded with fencing material that meets or exceeds the fencing standards utilized in the perimeter fencing requirements.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(J)	(J) Bridges over lazy rivers and elevated walkways adjacent to lazy rivers must be posted with signs indicating "shallow water - do not jump".	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-18(K)	(K) Employee access gates in perimeter fencing must be secured with a latch and post a sign indicating authorized personnel only.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-19(A)	(A) Patrons must be able to carry their own sled.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-19(B)	(B) Patrons must exit the runout or splash pool quickly after coming to a rest.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-19(C)	(C) The water level in runout or splash pools must meet the manufacturer's requirements as indicated in their operating manual.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-20(B)	(B) The following signs are required:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-20(B)(4)	"No diving" signs shall be displayed around the aquatic device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-20(B)(5)	"Prolonged exposure to wave action may result in fatigue. Exercise caution in deep water," shall be displayed at the entrance to the pool.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-20(B)(6)	"No running" signs shall be displayed throughout the waterp	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-20(B)(7)	Signs indicating "no glass bottles or containers" shall be displayed at the entrance to the park.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-20(B)(8)	Healthy swimming signage indicating the following shall be posted at the entrance to the park and in public restrooms:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-20(C)	Signs indicating various height restrictions shall be displayed prior to the entrance to the park.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-21	The purpose of rules 901:9-1-01 and 901:9-1-21 to 901:9-1-41 of the Administrative Code is to set out the standards that must be met for the operation of bungee jumps	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-21	In addition to these standards, bungee jumps must also comply with all other applicable rules in Chapter 901:9 of the Administrative Code. In addition to these standards, bungee jumps must also comply with all other applicable rules in Chapter 901:9 of the Administrative Code.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-23(A)	Any person who applies to the department for a permit to operate a bungee jump shall include with their application:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-23(A)(2)	Site plans which shall include equipment locations, safety zones, safety space, fences, jump zones and jump space; and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-23(A)(3)	(3) Proof of insurance coverage meeting the requirements set out in section 1711.54 of the Revised Code.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-23(B)	(B) The department may also require a registered engineer's report confirming that the design and construction of the equipment to be used meets engineering standards acceptable to the department and confirming that all applicable local codes have been complied with.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-24(A)	Where jumps occur over land, a safety space of thirty feet shall be maintained between the bottom of the jump zone and the ground level.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-24(B)	Where jumps occur over water, the water over the entire bottom of the jump zone shall be no less than three feet deep with a minimum water depth of no less than twelve feet within a ten foot radius of a point directly beneath the jump point.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-24(C)	An additional extension of the jump zone volume shall be maintained as a safety space which will not be less than ten per cent of the jump zone dimensions at the jump point and twenty per cent of the jump zone dimensions at the bottom of the jump.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-24(D)	A minimum of ten per cent of the height of the jump shall be maintained beneath the jump point as the top safety space.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-25(A)	The safe working load (SWL) shall be determined by the maximum weight on the platform at any one time, with a safety factor of not less than five times the maximum designed loaded platform weight.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-25(B)	When the platform is not an integral part of the structure, the attachment devices and the part of the structure to which they are attached, shall have a safety factor of at least five over the total load.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-25(C)	The platform shall have a non slip surface.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-25(D)	The platform shall have anchor points for safety harnesses, designed and placed to best suit the movements of anyone on the platform.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-25(E)	There shall be a gate across the jump point which	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-25(E)	shall remain closed when a jumper is not present.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-25(F)	The jump master shall stop the jumping operation when wind speeds are in excess of twenty miles per hour and can affect the safe operation on the jump platform and/or the recovery area.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-26(A)	The system for lowering the jumper to the landing pad shall be operated under the direction of the jump operator, jump master or crane operator.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-26(B)	The alternative method for jumper recovery shall be specified in the site manual and approved by the director.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(A)	(A) All cranes must have a certification of inspection by a testing firm accredited by the U.S. department of labor.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(A)	This certification must be complete prior to an inspection by the department.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(A)	This must be done at each location prior to operation	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(A)	and must be re-certified on an annual basis.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(A)	Re-certification is also required whenever the crane is used for other material lifting purposes.			
OAC 901:9-1-27(B)	Cranes used to elevate personnel platforms for bungee jumping shall be equipped with the following:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(C)	An anti two-blocking device shall be used.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(C)	If an anti two-blocking device is not available, a system shall be used with a two-block damage prevention feature to deactivate the hoisting action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(D)	Cranes shall be derated to fifty per cent of its capacity e.g., a rated load of three thousand pounds becomes one thousand five hundred pounds.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(E)	Cranes shall be level, on firm footing and all outriggers fully extended and blocked during operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(F)	The load line hoist drum shall be equipped with controlled load lowering.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(F)	Free fall is prohibited.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(G)	Live boom equipment shall not be used.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(H)	Load lines shall be capable of supporting, without failure, at least seven times the maximum intended load	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(H)	the lines shall be capable of supporting without failure, at least ten times the maximum intended load.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(I)	Load and boom hoist drum brakes, swing brakes, and locking devices such as pawls or dogs shall be engaged when the occupied personnel platform is in a stationary working position.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(K)	The main boom shall be fully extended at all times.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(L)	Cranes with jibs having three or four mounting pins that can not be offset will not require offsetting.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-27(L)	All cranes that use a jib with cable supported back stays shall have an offset and a positive stop to prevent the jib from flipping over backwards or detaching from its mount point.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(M)	The lifting and supporting shall be made under controlled conditions and under the direction of an appointed signal person.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(N)	Cranes shall be operated by a trained operator in accordance with occupational safety and health administration "OSHA" standards and utilize certified hand signals or direct verbal communications.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(O)	Communications between the crane operator, the signal person, and person being lifted shall be maintained at all times during the lift.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(P)	The operator shall remain at the controls when the personnel platform is occupied.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(Q)	Movement of the personnel platform shall be done in a slow, controlled, continuous manner with no sudden movements of the crane or personnel platform.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(R)	Cranes shall not travel while personnel are on a personnel platform.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(S)	Personnel shall keep all parts of the body inside the personnel platform during raising and lowering to avoid pinch points.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(S)	Personnel shall not stand on the top rail, midrail or toe board of the personnel platform.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-27(T)	Personnel platforms shall not be used when winds are in excess of twenty miles per hour, during electrical storms, or other adverse weather conditions which could affect the safety of personnel.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(A)	Personnel platforms elevated by cranes which are used as bungee jump platforms shall be constructed and rigged according to the requirements of 29 CFR 1926.1431 (2010).	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(A)(1)	Each bridle leg shall be connected to a master link or shackle;	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(A)(2)	Wire rope with thimble eyes shall be used;	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(A)(3)	Wire rope shall have a safety factor of five	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(A)(4)	Locking load hooks shall be used	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(A)(5)	Gates shall swing inward and	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(A)(5)	shall be equipped with a latching device that prevents accidental opening	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(A)(6)	The personnel platform and attaching devices shall have a minimum design factor of five	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(A)(7)	The personnel platform shall have a plate specifying the weight of the empty personnel platform and the maximum number of persons and weight for which the personnel platform is rated	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(A)(8)	hook block shall be proof tested to one hundred twenty-five per cent of the personnel platform's rated capacity	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law

OAC 901:9-1-28(A)(8)	After proof testing, any deficiencies revealed by inspection by a qualified person shall be corrected and	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(A)(8)	another proof test shall be conducted.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(A)(8)	Any modification to personnel platform or rigging shall require retesting of the personnel platform.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(B)	A trial lift with the unoccupied personnel platform loaded at least to the anticipated liftweight shall be made from ground level	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(B)	This trial lift shall be performed immediately prior to placing personnel on the platform.	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(B)	The operator shall determine that all systems, controls and safety devices are activated and functioning properly; that no interferences exist; and that all configurations necessary to reach those work locations will allow the operator to remain under the fifty per cent limit of the hoist's rated capacity.	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(B)	After a trial lift, and just prior to hoisting personnel, the platform shall be hoisted a few inches and inspected to ensure that it is secure and properly balanced.	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(B)	Personnel shall not be hoisted unless the following conditions are determined to exist:	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(B)(4)	The hoisting system shall be inspected if the load rope is slack to ensure all ropes are properly seated on drums and in sheaves.	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(C)	The jump rigging shall be attached to the lifting system.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(D)	The personnel platform shall be limited to a capacity of four persons.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(E)	A grab rail shall be provided around the personnel platform.	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(F)	The sides of the personnel platform shall be enclosed from floor to midrail as defined under OSHA standards with rails.	ORC 1711.53	Yes, both state and federal law	Yes, both state and federal law
OAC 901:9-1-28(H)	Nothing shall be added to the personnel platform which affects it's stability in the wind.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(I)	A jumper shall only jump perpendicular to the boom.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(J)	If the personnel platform is accidentally lowered onto the cords, the cords shall be inspected before jumping is continued.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-28(K)	(K) In addition, all rules and regulations pertaining to the safe hoisting of personnel as specified by OSHA or other authorities must be complied with.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(C)	The minimum factor of safety (FS) for any cord configuration attached to a jumper whether "mil.spec." or "New Zealand" shall be no less than five.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(C)	This means that the maximum dynamic load possible for a jumper to exert on a bungee cord configuration shall be no greater than twenty per cent of the cord configuration's minimum breaking strength.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(1)	In a single cord system, the binding shall hold the cord threads in the designed positions.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-29(D)(1)	The binding shall have the same characteristics as the cord itself.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(1)	In a multiple cord system, the cord shall be bound together in a manner to prevent potential jumper entanglement.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(1)	The bindings shall not damage or effect the performance of the cords.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(2)	All bungee cords shall be designed and tested to perform within the prescribed limits of the maximum G force and factor of safety as stated.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(3)	(3) All bungee cord manufacturers must perform conclusive minimum break strength testing on a representative section of all manufactured bungee cords	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(3)	The bungee cord samples must have been constructed using the manufacturer's standard methods	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(3)	which shall include bungee cord loop end connections that meet the guidelines in this document.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(3)	All tests shall be performed or supervised by an independent certified testing authority or a independent certified engineer.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(3)	Test results must be readily available to purchasers of the bungee cords, or regulating authorities, upon request.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(3)	The testing authority shall determine the ultimate tensile strength of each test specimen and use the lowest failure value recorded as the ultimate tensile strength value for the corresponding lot of bungee cords tested.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(4)	A load verses elongation curve resulting from the aforementioned test shall be used to calculate the maximum G force and factor of safety of the corresponding lot of bungee cords tested.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(4)	These test results must be readily available to purchasers or users of the bungee cords, or regulating authorities upon request.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(5)	Operator testing: all commercial operators shall follow the inspection and testing recommendations set forth by the cord manufacturer or distributor.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(5)	These tests shall be completed utilizing the maximum load the cords are designated for.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(6)	(6) All bungee cord manufacturers must provide specifications to purchasers on maximum allowable usage of bungee cords expressed in number of jumps.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(7)	Bungee cord retirement: bungee cords shall be retired when the cords exhibit deterioration or damage, do not react according to specifications, or have reached the maximum usage expressed in number of jumps as specified by the manufacturer.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(7)	All commercial operators must have an auditable system for recording the number of jumps on each individual cord in use.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-29(D)(7)	This data must be readily available to the manufacturer and any regulating authority upon request.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(8)	Bungee cord destruction: bungee cords retired from use shall be destroyed by cutting the cord into five foot lengths.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(9)	Bungee cords end connections: the end connections shall have a minimum safety factor of five times the maximum dynamic load for that bungee cord configuration.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(9)	All end connections shall be of a size and shape to allow easy attachment to the jumper harnesses and to the rigging.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(9)	On multiple cord systems, each cord must meet its own independent end connection.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(9)	On multiple cord systems, all end attachment points shall be bound together in a protective sheath that allows the individual ends to move with respect to each other.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-29(D)(9)	All cord ends shall be inspected every day for wear, slippage, or any other abnormalities, unless the manufacturer specifies more frequent inspections.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(A)	All harnesses, webbing, bindings, ropes, and hardware shall meet or exceed one of the following standards:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(B)	A jumper harness shall be either a full body harness, a sit harness with shoulder straps, or an ankle harness.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(B)	Harnesses shall be specifically designed and manufactured for mountaineering or bungee jumping.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(C)	Harnesses shall be available to fit the range of patron sizes accepted for jumping.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(D)	There shall be a redundant connection (backup) between the harness and the cord.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(E)	All load supporting slings or webbing shall be flat tubular mountaineering webbing or its equivalent.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(E)	Minimum breaking strength shall be six thousand pounds.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(E)	Slings or webbings shall be formed by sewing, or properly tied with a "water knot" with taped ends.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(F)	Carabineers shall be the steel screw gate type with a minimum breaking strength of six thousand pounds.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(G)	All ropes, pulleys, and shackles used to raise, lower, or hold the jumper shall have a minimum breaking strength of six thousand pounds.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(G)	All pulleys shall be compatible with the rope.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(H)	All anchors shall meet or exceed the following:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(H)(1)	Where a single anchor is used to attach the bungee cord to the platform, it shall have a safety factor of twenty;	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(H)(2)	Where two anchors are used to attach the bungee cord to the platform, each shall have a safety factor of five;	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-30(H)(3)	Where the anchor is made of wire rope, it shall have swagged ends with the thimble eyes; and,	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-30(H)(4)	Where the anchor is made of "webbing," it shall be manufactured by a company that normally supplies these anchors to crane and rigging companies.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-31(A)	All jump rigging, harness, lowering system and safety gear shall be regularly inspected and tested as set forth in the operating manual.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-31(A)	Inspections, findings and corrective action shall be recorded in the site log.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-31(B)	Hardware subject to abnormal loadings, impacts against hard surfaces or having surface damage, shall be replaced immediately.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-31(C)	All ropes, webbing and bindings shall be inspected visually, and by feel for signs of wear, fraying, or damaged substances in accordance with the site operating manual.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-32(A)	Replacement equipment for the following shall always be available on site:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-32(B)	Items of equipment, rigging or personal protective equipment found to be sub-standard shall be replaced immediately.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-32(C)	(C) Jumping shall cease immediately when a sub-standard item cannot be replaced.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-32(D)	This equipment shall be stored in a secure area to prevent tampering and vandalism.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-33(A)	Each bungee cord shall have its own permanent identification number.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-33(B)	The form of identification shall not damage or detract from the integrity of the material.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-33(C)	The identification shall be clearly visible to the operators during daily operations.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-33(D)	The identification of each piece of equipment shall be recorded in the site operating manual.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(A)	The following requirements shall apply where the jump space is over land.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(A)(1)	(1) All jumps require the use of an air bag or net certified by the manufacturer to be capable of absorbing a falling body from the height of the jump point.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(A)(2)	The sizing of the air bag or net shall be as follows:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(A)(3)	The air bag shall be in position before jumper preparation commences on the platform.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(A)(4)	Upon completion of a jump, the jumper shall be lowered into a landing area.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(A)(5)	The landing area shall be free of spectators at all times.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(A)(6)	The jump zone shall be free of any equipment or staff when a jumper is being prepared on the jump platform and until the jumper lands on the landing pad.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(B)	The following requirements shall apply where the jump space is over a body of water:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-34(B)(1)	A recovery vessel shall be positioned to recover jumpers.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(B)(2)	The vessel shall be equipped with coast guard approved life jackets and rescue equipment.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(B)(2)	The vessel operators shall wear required life jackets.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(B)(3)	The jump space shall be free of other vessels, floating objects, submerged objects, the public, and any spectators.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(B)(3)	When the landing vessel is in open water, it shall be defined by the deployment of buoys.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(B)(3)	A sign of appropriate size which reads "bungee jumping-keep clear" shall be displayed.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(C)	Where the landing area is part of a constructed swimming pool complex or is specially constructed for bungee jumping, the following shall apply:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(C)(1)	The pool size shall meet the requirements for the jump area size.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(C)(2)	The minimum water depth shall be twelve feet.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(C)(3)	Rescue equipment shall be available.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(C)(4)	The jump space and landing area shall be fenced.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(C)(5)	Only the operators and participants of the bungee jump shall be within the jump space and landing area.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-34(D)	The defined area shall be enclosed by a fence of adequate height and design as to prevent people, animals and objects from entering the landing area.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(A)	Adequate storage shall be provided to protect equipment from physical, chemical and ultra-violet ray damage.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(A)	The storage area shall be secured against unauthorized entry.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(B)	There shall be a public address system in operation during all hours of business.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(B)	There shall be a radio communication link on the permanent platform sites between the platform and the landing/recovery area or vessel.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(C)	All staff shall be easily identifiable.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(D)	Instructions to jumpers shall be placed at the entrance to the site.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(E)	There shall be a means of communication located within two hundred feet of the jump site to local emergency services.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(F)	Jumps shall only be made under the direct control of a jump master.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(G)	Adjustments for the weight of each jumper shall be made by the jump master's selection of either the bungee cord or length of webbing or rope attached to the bungee cord.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(H)	A clearly visible sign shall be erected listing the medical and age restrictions for jumpers.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(I)	Staff shall be briefed for each days operations.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-35(I)	This shall include assignment of the designated jump master where more than one jump master is on site.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(J)	Prior to jumping, each jumper shall register with the operator giving the following information: name, address, city, state, zip code, and telephone number; medical factors and exclusions; age and weight.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-35(K)	Prior to jumping, each jumper shall be provided with information on jumping, landing, lowering, and recovery procedures.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-36(A)	The minimum age and weight for jumping shall be established by the ride manufacturer.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-36(B)	Any jumpers who, in the opinion of the operation's staff, represent a danger to themselves or others, shall not be allowed to jump.	ORC 1711.54	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-36(C)	Jumpers visibly under the influence of drugs or alcohol shall not be permitted to jump.	ORC 1711.55	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-37(A)	To qualify as a jump master, a person shall:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-37(B)	The staff of a bungee jumping operation shall include no less than four persons, with the jump master having control over the operation and the responsibility and accountability for the operation of the site, and is responsible for checking selection of the bungee cord and adjusting the rigging at the jump platform.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-37(C)	Staff training shall be conducted by, or under the direct supervision of a qualified jump master.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-37(D)	Staff who are in training shall be directly supervised at all times.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-38(A)	The site manual shall describe the system of operation to be used and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-38(A)	shall address, but not be limited to the following elements.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-38(A)(3)	A complete description of all components in the rigging system which shall include manufacturers specification or a laboratory test certificate of each component.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-38(B)	Each member of the operating staff shall have a thorough knowledge of the site operating manual.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(A)	Each site shall have an emergency plan.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(A)	This plan shall be reviewed and approved in writing by the local emergency service responsible for providing emergency rescue service.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(B)	Each bungee jumping site shall have in attendance at all times during operation one staff member who	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(B)	shall have a current first aid certificate and has completed an annual refresher course from one of the following entities:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(C)	At sites where the jump is over water, one of the landing/recovery staff shall be a holder of a current life saving certificate from one of the following entities:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-39(D)	Where the site includes moving water or swift water, the site operating manual shall specify the rescue training and/or qualifications required for all operators and staff on the site.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(E)	Emergency lighting shall be provided at all jump sites that operate one-half hour prior to sun set until one-half hour after sun rise.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(E)	The emergency lighting system shall light the jump platform, the jump space and the landing area.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(E)	The emergency lighting system shall have its own power source.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-39(F)	A backup means of communication shall be available in case of a power failure.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-40(A)	The following practices are prohibited: (A) Bungee catapulting when the jumper has the potential of coming in contact with overhead structures.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-40(B)	The following practices are prohibited: (B) Sandbagging.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-40(C)	The following practices are prohibited: (C) Tandem jumping.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-40(D)	The following practices are prohibited: (D) Bungee jumping from hot air balloons.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-41(A)	All safety nets shall comply with ANSI requirements for safety nets, ANSI 10.32 -2012.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-41(B)	Support poles of the safety net shall be located outside of the jump space.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-41(C)	The safety net shall be of sufficient tension and height above the ground to be able to restrain a jumper in the event of any equipment malfunction.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(A)	Concession go karts shall either:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(B)	Concession go kart operators shall have on hand for concession go karts one or more operational, maintenance and repair manuals which meet ASTM F-2007-12.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(C)	Concession go karts shall be equipped with a fuel tank and cap which will not leak more than one ounce of fuel in five minutes when the go kart is in the upright position, on its side, or upside down.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(D)	Concession go kart fuel tanks shall be installed in such a manner to minimize the potential for rupture or damage in the event of a rollover collision with another kart or a track obstacle.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(E)	The speed control and brake actuator locations of concession go karts shall be clearly identified with signage, or by coloring the speed control green and the brake actuator red.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(F)	Concession go karts shall be equipped with occupant compartment padding.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-43(F)	Padding shall be provided for the steering hub, headrest, steering wheel support post, and any other vehicle parts occupants are likely to come in contact with during a collision or rollover.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(G)	Concession go karts shall have protective covers for moving or heated components to prevent driver and passenger contact with these components while seated in the normal position in the kart.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(H)	Concession go karts shall be equipped with restraints to help prevent occupants from being ejected in a collision.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-43(I)	Concession go kart braking systems shall have sufficient braking capacity to override the full power of the engine.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(A)	Concession go kart tracks shall have a containment system which meets or exceeds manufacturer's recommendations.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(A)	Tire containment systems, if used, shall have a track side banding system sufficient to keep karts on the track.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(A)	When tires are used as support components for a containment system, the tires shall be placed to help prevent the tires from raising the band upon being impacted by a kart.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(B)	Concession go kart track surfaces shall be free of vertical misalignment which affects operational design and made of a material which cannot be moved or displaced by tire action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(C)	Concession go kart track bridges shall have a barrier system behind the containment system and on either side of approach and egress of a bridge which is adequate to retain a kart on the track or perimeter surface without allowing kart rollover.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(D)	Tires used for a containment system on a concession go kart track shall be free of rims or wheels.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(D)	Tires used for other purposes, such as pit entry "safety spinners", shall be mounted on rims/wheels, inflated and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(D)	the wheels shall be installed on a rigidly mounted spindle.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(D)(1)	Spinner tires shall be inflated to a maximum pressure of five psi; and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(D)(2)	Spinner tire wheels shall be designed and marked as "no step" for employee and guest safety	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(E)	A fence or physical device at least forty-two inches high shall enclose the entire concession go kart track, driveways and pit and fuel storage areas in order to provide a separation between those areas and areas generally accessible by the public.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(E)	Fences and gates shall have no opening through which a four inch ball could pass.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-44(E)	Fence gates shall be equipped with a positive latching device.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(E)	Gates shall not open towards the track if doing so poses a hazard.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(E)	There shall be a fence between the queue area and the pit area.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(F)	There shall be no intersections in the kart track which allow or enable go karts on a concession go kart track to cross one another in opposite directions, on the same track plane.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(G)	Obstructions which could be struck by go karts during operation on a concession go kart track shall be protected by a material which will reduce or minimize the impact.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(H)	Concession go kart tracks operating at night shall have appropriate illumination to allow for visual observation of the track by attendants and drivers.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(I)	A ten pound or heavier b-created fire extinguisher shall be accessible within a maximum of seventy feet of any point of the concession go kart track.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(I)	Locations shall be, but are not limited to pit, maintenance, and fuel storage areas.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(J)	Concession go kart track pit areas shall be free of permanent obstructions other than those protected by material which will reduce or minimize impact.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(K)	Markings or signs indicating direction of kart travel and to identify pit lanes shall be provided in a manner that is clearly visible to kart drivers.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(L)	The entry and the pit area of a concession go kart track shall include instructions and rules signs visible from the main entrance to the queue line and other appropriate locations to enable all patrons to read rules and procedures of safe track operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(L)	The instructions and rules signs shall include, but not be limited to, the following:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(L)(3)	(3) All loose clothing and hair longer than shoulder length must be secured;	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(L)(6)	Drivers and passengers shall remain seated with seat belts fastened at all times, unless instructed otherwise by attendant;	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(M)	A conspicuous warning sign shall be posted which	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-44(M)	shall convey at least the following:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(A)	The owner of a concession go kart track shall provide training for each operator and attendant of the go kart track.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(A)	This training shall include but not be limited to the following:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(B)	The track owner shall develop a written training outline/checklist which	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-45(B)	shall be used in all training programs to ensure uniformity of training.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(C)	Concession go kart fueling operations shall be performed a distance from any person not directly involved in the procedure in accordance with local, state, or federal regulations.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(D)	Concession go kart track personnel shall conduct a daily pre-opening inspection of karts in accordance with the go kart manufacturer's recommendation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(D)(1)	The facility shall maintain a written record of daily inspections including items checked, identity of discrepant items, disposition of the discrepant items, identity of the inspector, and sign-off by authorized personnel.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(D)(1)	Records shall be maintained for a minimum of threecalendar years.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(D)(2)	In the absence of specific manufacturer's recommendations for pre - opening inspections, the daily pre opening inspections shall include criteria approved by the department.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(E)	Owner shall maintain brake and throttle markings so they are clearly visible, and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(E)	in the event markings are not provided by the manufacturer, shall provide such markings.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(F)	Concession go kart track owners shall maintain written maintenance and repair records for each go kart.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(F)(1)	Maintenance records shall contain information as specified by the go kart manufacturer but	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(F)(1)	shall contain at least the serial number of the kart, date of repair, nature of repair or adjustment, and the identity of the person making the repair or adjustment; and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(F)(2)	Records of vehicle maintenance and staff training shall be maintained for a minimum of three calendar years.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(G)	Concession go kart track attendants shall be positioned so that they can identify and reach any section of the concession go kart track within twenty seconds during track operation in order to render assistance.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(H)	Concession go kart personnel shall verify that drivers and passengers are properly secured in provided restraint devices in accordance with go kart manufacturer's specifications prior to the beginning of each ride cycle.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(I)	A signaling system or procedure shall be provided by the owner for track staff to warn drivers of hazardous or caution situations while go karts are operating on the concession go kart track.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(J)	Audible verbal instructions concerning go kart ride rules shall be announced to all guest drivers/passengers prior to each ride cycle.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(J)	Pre-ride instructions shall include, but not be limited to:	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-45(J)(2)	Directions for identifying the brake and fuel actuator markings shall be included in driver and passenger instruction signs; and	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(K)	Child passengers in two seat concession go karts shall be accompanied by a driver meeting the minimum specifications for driver height or age established by the go kart manufacturer.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(L)	Concession go kart track employees shall be readily identifiable to patrons.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(M)	Multiple passengers shall not be permitted to occupy the same seat or to use a single set of restraints.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(N)	Concession go kart track surfaces shall be maintained in good repair, and free of cracks, obstructions, and pot holes which could either damage the kart or cause the driver to lose control of the vehicle.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(O)	Only go karts in operation shall be permitted on track during operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-45(O)	No concession go karts shall be on the track at any time unless the kart is in operation under the control of a driver.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-46	No person shall construct a new go kart track or construct, install, or make major modifications to an existing go kart track until plans have been submitted to, reviewed, and approved by the department.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-48(A)	Regular meetings of the advisory council shall be held in the first week of January at the Ohio fair managers association annual meeting and, any other time during the calendar year, when a meeting is called by the council's chairperson.	ORC 1711.51	Yes, state law	Yes, state law
OAC 901:9-1-48(B)	Adequate notice of each meeting shall be given to each member of the council. Notice of the council meeting date, starting time and location will be posted on the Ohio department of agriculture's web site www.agri.ohio.gov .	ORC 1711.52	Yes, state law	Yes, state law
OAC 901:9-1-48(C)	Notice of date, time, place, and purpose of special meetings shall be placed on the Ohio department of agriculture's website www.agri.ohio.gov , and sent to media outlets which request such information, at least twenty-four hours prior to said meeting.	ORC 1711.53	Yes, state law	Yes, state law
OAC 901:9-1-48(C)	Notice of date, time, location, and purpose of all emergency meetings shall be given to all news media that have requested prior notification	ORC 1711.54	Yes, state law	Yes, state law
OAC 901:9-1-48(C)	the meeting notice shall be published on the department's website www.agri.ohio.gov .	ORC 1711.55	Yes, state law	Yes, state law
OAC 901:9-1-51(A)	Switching from one mode to another shall not initiate operation of the ride.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(A)	A separate action by the operator shall be required to initiate operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-1-51(A)	Proper safeguards shall remain effective for all operating and non-operating modes.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(B)	Safety related parameters: when the ride manufacturer defines specific safety related parameters, the safety related control system shall not allow the amusement ride or device to exceed the specific manufacturer's safety performance, such as inadvertent contact of vehicles.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(C)	Each amusement ride or device shall be permitted to have one or more operating modes (for example: automatic, manual) that are determined by the type of ride and its operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(D)	Any change of mode shall require deliberate operator action.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(D)	(D) When a safety related control system has more than one mode of operation, the selected mode of operation must be visibly indicated.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(E)	When hazardous conditions can arise from mode selection such operation shall be protected by suitable means (for example: key operated switch, access code).	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(F)	Mode selection by itself shall not initiate operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(F)	A separate action by the operator shall be required.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(G)	Safeguards shall remain effective for all operating modes.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(H)	Where it is necessary to temporarily override one or more safeguards, a mode selection device or means capable of being secured in the desired mode shall be provided to prevent automatic operation.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-1-51(I)	(I) Initiation of motion by a hold-to-run or other control device is required.	ORC 1711.53	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-02(A)	No concession shall be permitted at a fair which does not meet with the approval of the inspector, the designated official of the fair board, and/or the Ohio expositions commission.	ORC 1711.11	Yes, state law	Yes, state law
OAC 901:9-2-02(B)	(B) False or misleading advertising in writing, orally, or otherwise is prohibited by any concessionaire or its agent.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-02(C)	Every concessionaire shall be responsible for all the actions of his agent while the agent is working a concession at a fair.	ORC 1711.11	Yes, state law	Yes, state law
OAC 901:9-2-02(D)	No person shall interfere with any inspector in the performance of his lawful duties of inspection.	ORC 1711.11	Yes, state law	Yes, state law
OAC 901:9-2-02(E)	(E) To ensure the efficacy and consistency of all concession inspections, an inspector must have knowledge of Ohio laws and rules pertaining to fairs and a least six months experience or training in concession regulation and operation.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-02(F)	(F) Any type of concession not previously permitted must be submitted for approval at the department's campus in Reynoldsburg, Ohio prior to licensing and operation.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-03(A)	No person shall operate any concession at any fair without first obtaining a license from the department .	ORC 1711.11	Yes, state law	Yes, state law
OAC 901:9-2-03(B)	One license shall be required for each separate game at a fair.	ORC 1711.11	Yes, state law	Yes, state law
OAC 901:9-2-03(C)	(C) At all times the terms of the license must correspond with the sign in relation to the object of the game and to all rules of play.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-03(D)	The license for each concession shall be issued only to the owner or lessee of the concession.	ORC 1711.11	Yes, state law	Yes, state law
OAC 901:9-2-03(D)	A licensee who permits another individual to use the license issued to a licensee in a concession not owned or leased by the licensee shall be held in violation of section 1711.11 of the Revised Code.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-03(E)	(E) Every novelty stand must have a separate license.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-03(F)	(F) The license of every concession must be conspicuously posted in the concession while the concession is in operation.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-04(A)	(A) All prizes which can be won must be displayed at all times while the game is open to the public for play.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-04(B)	No item shall be given as a prize which is not on display.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-04(C)	In no case shall any merchandise be displayed in a game at a fair which is not one of the prizes possible to be won during the play of the game.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-04(D)	In no case shall any concessionaire or agent buy back any prize for money, cash, check, or like payment from a player at a fair.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(A)	At all times while in operation, every game operated at a fair shall have a sign conspicuously posted which meets the requirements of paragraph (B) of this rule and states all of the following:	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(B)	At all times while in operation, every game operated at a fair shall have a sign conspicuously posted which meets all of the following requirements:	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(B)(1)	(1) The sign must be at least two feet in width;	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(B)(2)	(2) The sign must be at least two feet in length;	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(B)(3)	(3) The sign must be permanently affixed to the unit;	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(B)(4)	(4) All words must be at a minimum of one inch in height;	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-05(B)(5)	(5) Except for as described in paragraph (B)(6) of this rule, the sign must be professionally printed and may not be handwritten; and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(C)	(C) The sign as required in paragraph (A) of this rule must be easily visible to both the player and any prospective player and at no time be obstructed by any object contained in the unit.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-05(D)	(D) All trade up games must have the following statement on their sign: "THIS GAME REQUIRES NO MORE THAN THREE WINS TO WIN ANY PRIZE."	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-06(A)	(A) Except for the paragraph (B) of this rule, no combination of prizes, articles, tickets, numbers or money be exchanged for other prizes.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-06(C)	(C) In trade up games, only one price of play shall be allowed.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-06(D)	(D) Each level of prize must be plainly marked as to the number of wins required.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-07(A)	No gambling or games of chance shall be permitted.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-07(B)	No game shall be allowed which, either by its design or by its operation, is controlled by the operator to the extent that the outcome of the game is determined either partially or entirely.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-07(C)	No game shall be allowed in which the outcome depends upon the word of the operator against the word of the player.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-07(D)	No game shall be allowed in which hidden numbers are used.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-07(E)	No game shall be allowed which includes any mechanical or physical device which directly or indirectly impedes, impairs, or thwarts the skill of the player.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-08(A)	All rules of play issued by the department must be followed.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-08(B)	(B) In any game, the concessionaire or agent may designate a physical line or barrier a certain distance from the target behind which the players must stand to play the game, thus preventing the agent from judging the validity of the play.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-08(B)	If the game is trailer-mounted, the inspectors shall determine the height of the base on which the game is set.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-08(B)	In all cases, leaning over the physical line or barrier shall be permitted.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-08(C)	No sign stating that a player must stand straight shall be allowed.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-09(A)	In any game at a fair in which balls or other objects are rolled or slid on a platform of any kind, the platform shall be level laterally, unwarped, and have no obstruction of any kind between the players and the targets.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(A)	Balls must be round, solid and firm.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(B)	The difference between the inside diameter of the rim and the outside diameter of the ball shall be no less than three and one-quarter inches.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(B)	All rims shall be circular.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(B)	Rim size shall be posted on the backboard and the game may not be called basketball.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(B)	The ball's air pressure must be within the manufacturer's recommended air pressure.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(B)	If the ball does not have an air pressure recommended by the manufacturer or the manufacturer's air pressure can not be located the ball's air pressure must be between 7.0 to 9.0 psi at the time of play.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(C)	The basket or hoop shall be ten feet high and have an inside diameter of eighteen inches.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(C)	A regulation-size basketball with a minimum circumference of twenty-nine and one-half inches and a maximum of thirty inches, with a weight minimum of twenty ounces and maximum of twenty-two ounces shall be used for play.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(C)	The ball's air pressure must be within the manufacturer's recommended air pressure.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(C)	If the ball does not have an air pressure recommended by the manufacturer or the manufacturer's air pressure can not be located the ball's air pressure must be between 7.0 to 9.0 psi at the time of play.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(D)	Operators of this game, where a tire or hole is used as a target, shall provide regulation-size footballs or similar objects to be thrown, and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(D)	the clearance in the target shall be at least one inch measured from the largest part of the football or other object on one side.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(D)	No obstruction shall be permitted.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(E)	This game shall be operated in a level position at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(E)	The use of rubber, plastic or cork balls is prohibited.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(E)	The table or stand supporting the pans or boxes shall not exceed three feet in height from the ground.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(E)	In any game at a fair in which rings are thrown over blocks or prizes, all rings must be round and unwarped,	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(E)	If the game is trailer-mounted, the inspector shall determine the height of the base on which the game is set.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(E)	The number of balls used to play this game shall not exceed four.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-09(F)	The fish bowls shall be not more than one inch apart in any direction.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(F)	The measurement shall be that at the location of the widest portion of the bowl in relationship to all adjacent bowls.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(F)	The table or stand supporting the fish bowls shall not exceed four feet in height from the ground.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(F)	If the game is trailer-mounted, the inspector shall determine the height of the base on which the game is set.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(F)	The width of the opening of the fish bowl shall be such that there will be not less than one inch from center position of the ball on one side.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(G)	Bottles shall be kept at least twelve inches from any obstruction so bottles are free to fall over at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(G)	Bottles shall be placed side by side in an upright position, bottom down, on the supporting platform and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(G)	shall be parallel with the front of the game.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(G)	The ball shall be tossed underhand.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(G)	A leather-covered ball, approximately the same diameter as a baseball and weighing no less than one and one-half ounces, shall be used.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(G)	One ball shall be used to play this game.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(G)	Boards shall not be waxed.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(H)	The board shall be rigidly mounted, level laterally and unwarped with no obstructions which could cause the ball to jump.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(H)	All slots or holes shall be in an even row at the back of the board and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(H)	shall not be staggered.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(H)	The balls shall be solid and round at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(H)	The slope shall not exceed one inch per foot of board length.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(H)	All openings or slots shall be of the same width.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(I)	This game shall have at least one-half of an inch clearance on one side of the ball, and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(I)	the target shall not be over six feet in distance from the front barrier.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(I)	The approval by the director or his designee is required for a moving target.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(J)	Huckla buck kegs: shall be set on a frame and kept level	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(J)	The use of rubber and/or plastic balls is prohibited.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(J)	openings shall be no less than 3/4inch in clearance	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(J)	shall be 4ft in clearance from any obstruction	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(K)	No bottle shall weigh over three pounds.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(K)	All bottles shall be free from defects and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(K)	each set shall be uniform in size.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(K)	The base on which the bottles sit shall be not less than eighteen inches from the ground.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-09(K)	If the game is trailer-mounted, the inspector shall determine the height of the base on which the game is set.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(K)	The front barrier shall not be higher than the base on which the bottles sit.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(K)	The base shall be at least six feet from the front barrier.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(K)	This game must be played with a rubber or leather covered softball with a minimum weight of five ounces.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(L)	Targets shall be placed in a stationary rack at least twenty-four feet from the barrier with no exceptions for trailer-mounted games .	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(L)	A protective covering shall be provided on three sides and the top for public safety.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(L)	A canvas drop shall be used.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(L)	Balls must be inspected for embedded glass before being offered to the player.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(L)	Plastic or bisque plates or discs shall have a minimum distance of six feet clearance from the front portion of the trailer.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(L)	In the break the plate game, the distance between the plates must be less than the diameter of the ball thrown when the object of the game is to break two plates with one ball to win.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(L)	Only baseballs as described in paragraph (U)(1) of this rule shall be used.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(M)	Dunking machine: persons seated on target seat shall not use foul language and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(M)	shall be properly dressed	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(M)	The use of rubber, plastic, or cork balls is prohibited.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(N)	Shelves shall be level.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(N)	Cats shall not weigh more than two pounds.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(N)	Canvas backdrop shall not interfere with the falling cat	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(N)	nor shall there be any other obstruction to prevent the cat from falling.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(N)	Front molding (rail) on the shelf shall not extend over one inch above the shelf and may be padded to lessen the chance of rebound balls.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(N)	Balls must be the size of baseballs and weigh not less than three ounces.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(O)	Hinges on racks using fixed targets shall work freely to permit targets to fall over when hit.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(P)	This game shall be operated with either six or nine empty cans and may be played "all over" or "all off."	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(P)	The platform shall be no greater than twenty-one inches in diameter or a twenty-one inch square with the height being no less than thirty inches and no higher than fifty-two inches from the ground.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(P)	If the game is trailer-mounted, the inspector shall determine the height of the base on which the game is set.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-09(P)	Cans shall be placed no more than three-eighths of an inch apart.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(P)	Two bean bags, three inches by three inches, with a minimum weight of two ounces shall be used.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(P)	Cans shall have clearance of the can plus three inches.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(P)	No obstructions whatsoever shall be permitted around the base on which the cans sit if operating the game "all off."	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(Q)(1)	(1) Must be played with standard unaltered wiffle ball (a hollow plastic ball with holes).	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(Q)(3)	(3) Baskets must be standard-size clothes baskets and stationary to frame.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(Q)(5)	(5) The angle of the bank board must be no less than sixty degrees off plumb, and no greater than seventy degrees off plumb, away from player. The operator must keep on location a tool to attest to and maintain this standard.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(Q)(6)	(6) The center of the basket must be positioned no further away from the player than the bottom edge of the bank board. It may be placed closer to the player.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(Q)	and must guess the weight within three pounds of either side of the patron's actual weight.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(Q)(7)	The bottom distance between the edge of the bank board and the top of the basket shall be no greater than twenty-four inches.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(R)(1)	(1) Must be played with standard unaltered wiffle ball (a hollow plastic ball with holes).	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(R)(2)	(2) The angle of the bank board must be no less than sixty degrees off plumb and no greater than seventy degrees off plumb, away from the player.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(R)(2)	The operator must keep on location a tool to attest to and maintain this standard.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(R)(3)	(3) A sign must state: "When player hits plastic red zone area with ball, foul shot is created and player loses turn".	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(S)	Game shall be played with a ball the same size as a softball.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(S)	Basket must be a standard bushelbasket of four pecks having a height of at least twelve inches and a diameter of at least eighteen inches at the opening.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(S)	Basket shall be at an angle of no less than sixty degrees off plumb and no greater than seventy degrees off plumb away from the player.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(S)	The operator must keep on location a tool to attest to and maintain this standard.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(S)	Distance of throw shall be no greater than eight feet from toe line to the basket rim.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(S)	Rim shots shall be allowed.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(S)	Baskets shall be securely fastened to the backboard in a manner that they may be easily removed for inspection.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-09(T)	Game shall be played with a ball the same size as a softball.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(T)	Tubs must have a height of at least twelve inches and a diameter of at least eighteen inches at the opening.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(T)	Tubs shall be at an angle of no less than sixty degrees off plumb and no greater than seventy degrees off plumb away from the player.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(T)	The operator must keep on location a tool to attest to and maintain this standard.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(T)	Distance of throw shall be no greater than eight feet from toe line to the tub rim.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(T)	Rim shots shall be allowed.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(T)	Tubs shall be securely fastened to backboard in a manner that they may be easily removed for inspection.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)	For purposes of defining standard balls to be used in playing games, the following shall apply:	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(1)	The ball shall be a sphere formed by yarn wound around a small core of cork, rubber or similar material and covered with two strips of white horsehide or two strips of white cowhide tightly stitched together.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(1)	It shall be nine to nine and one-half inches in circumference.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(2)	The ball shall be a sphere formed by either a core of number nine long fiber kapok or yarn wound around a small core of cork, rubber or similar material and covered with a smooth seam stitch which is not visible on a flat surface.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(2)	It shall weigh not less than six and one-fourth ounces nor more than seven ounces and be eleven and seven-eighths to twelve and one-eighth inches in circumference.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(3)	The weight shall be from fourteen to fifteen ounces and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(3)	it shall be inflated to a pressure of twelve and one-half to thirteen and one-half pounds.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(3)	The measurements shall be as follows	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(3)	short circumference shall be twenty and three-fourths inches and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(3)	the long circumference shall be twenty-seven and three-quarter inches to twenty-eight and one-half inches.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(3)	Method of measuring shall consist of the following:	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-09(U)(3)	all measurements shall be made after the ball is inflated to thirteen pounds;	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(A)	(A) In any game at a fair in which rings are thrown over blocks or prizes, all rings must be round and unwarpd,	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(A)	and the target must be vertically and horizontally level as well as vertically straight .	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(A)	A clearance of at least three-eighths of an inch on one side measured from the inside of the ring to the block or target is required.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-10(B)	The table or stand supporting the bottles shall be of a height so that the top of the bottles to be ringed will not exceed four feet in height from ground level.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(B)	If the game is trailer-mounted, the inspector shall determine the height of the base on which the game is set.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(B)	No obstruction shall be placed between, around, or above the bottles at any time.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(B)	The clearance of the ring shall be such that there will be no less than one-fourth inch clearance measured from the inside of the ring to the neck of the bottle.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(B)	Ring bottle games shall be played on level surfaces, and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(B)	the distance of all obstructions above or around all items to be ringed shall not be less than four feet.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(C)	Operators of this game shall arrange pins so they remain stationary at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(C)	Pins shall be so arranged that it is possible to ring each and every pin.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(C)	The top row of pins shall not be higher than four feet above the ground.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(C)	If the game is trailer-mounted, the inspector shall determine the height of the base on which the game is set.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(D)	Canes shall be so arranged that each and every cane can be ringed, including all canes with hooked handles.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(D)	All canes to be ringed shall have the end which is to be ringed perpendicular with the ground.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(D)	The clearance of the ring shall be such that there will be no less than three-eighths of an inch clearance measured from the inside of the ring to the head of the cane.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(D)	The measurement shall be made with the ring held next to the head of the cane.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(E)	The clearance of the ring shall be not less than three-eighths of an inch on one side measured horizontally from the back of the duck's neck to the tip of the duck's beak.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(F)	These games shall have three-eighths of an inch clearance on one side.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(F)	Blocks shall be flat, solid, uncovered and not more than two inches high .	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(F)	No prize shall project over the block.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(F)	Each block shall be placed on the table with sufficient clearance to permit any hoop to surround the block unobstructed by merchandise.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(F)	Hoops shall be round and uniform in size.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(G)	Operators shall provide targets that are vertical and maintained in a level position at all times (no slanting blocks will be permitted).	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-10(G)	All rings shall be round and unwarped and have a three-eighths of an inch clearance on one side.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-11(A)	Games using wooden-type targets or shoot until you win game or a game giving a prize every time shall adhere to this rule.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	Guns shall be in good mechanical condition.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	The target shelf shall not exceed four inches in width	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	No obstruction shall interfere with the prize target falling off the target shelf.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	No target shall be used which patrons cannot shoot off the shelf.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	Paper soft drink cups shall not be used as targets.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	Targets shall be uniform in size, shape, and weight.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	No prize shall be attached to the targets.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(A)	Games giving a prize when obtaining the object with a limited number of shots shall adhere to this rule.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(B)	The guns shall be attached to the counter in a manner to protect the public.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(B)	. Lead galleries shall use non-splatter bullets only.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(B)	Galleries shall have good side and back wall protection at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(B)	Galleries shall be operated for amusement only unless otherwise specified.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(C)	This game shall be played with different sized beverage cans.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(C)	The cans shall be empty and devoid of any matter.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(C)	The object of the game shall be to knock over two or more cans of a matching size.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(C)	No prizes shall be attached to the cans.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(C)	In all cases, all of the cans must be able to be knocked over.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(D)	These games may be licensed by the department which shall establish standards	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(D)	under which the games shall operate.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(D)	Such standards may include, but shall not be limited to	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(D)(1)	(1) The size of the star to be shot out must be no greater than one and one-quarter inches.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(D)(4)	(4) All guns must be chained down so as to prevent them from being turned toward player or midway.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(D)(6)	(6) Manufacturer's verification is required on all paper targets.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(D)(7)	The guns shall operate between one hundred twenty-five to one hundred fifty pounds of air pressure.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(E)	The operator of this game shall provide a protective covering on three sides.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(E)	If the state inspector and/or a representative of the fair board determines a covering must also be erected across the top to protect the public,	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-11(E)	such covering shall be required.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(A)	In any game at a fair in which washers, disks, or coins are thrown, the target must be level horizontally.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(A)	In games where coins are used, in no case shall the coin tossed or pitched be larger than a quarter.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-12(B)	Washer or coin pitch games including pitch for glass. Each and every prize shall have a large enough opening and be so arranged that it can be won.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(B)	When a target is used for "choice," it must be stated on a sign how a "choice" prize is won.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(C)	The boards on which spots are arranged shall be level and unwarped and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(C)	shall not be greased, waxed, or powdered.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(C)	Spots, washers, and coins shall be of contrasting colors.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(C)	The diameter of each and every spot shall be three-sixteenths of an inch greater than the diameter of the washer or coin used to play the game.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(C)	The entire washer or coin shall be in the spot to "win."	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-12(C)	When washers are used, only steel washers shall be used.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-13(A)	(A) All darts used in dart games must be weighted, balanced, and have no frayed, broken, or missing feathers.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-13(B)	(B) The use of plastic darts is prohibited.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-13(C)	This game shall be operated with no more than four darts.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-13(C)	No major prize winning numbers or colors shall appear in extreme outside rows.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-13(C)	At least four major winning numbers, both high and low numbers or colors, shall appear per one hundred numbers or colors on boards.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-13(C)	No squares shall be less than one square inch.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-13(D)	This game shall have a minimum of three-sixteenths of an inch clearance on all sides after the cup is stuck to the target.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(1)	Shall not touch patrons	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(2)	In guessing age, the operator shall guess within two years of age and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(2)	shall write the age down.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(3)	In guessing birth month, the operator shall write down the birth month.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(3)	The operator must guess within one month on either side of the patron's actual birth month to be correct.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(4)	In guessing weight, the operator shall write the weight down	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(4)	and must guess the weight within three pounds of either side of the patron's actual weight.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(4)	The scale dials shall have clear figures	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(A)(4)	which shall be illuminated at all times in order that they may be read by the public.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(B)	Operator shall not touch the ladder	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(B)	safety chain shall be attached to ladder at both ends.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(B)	The ladder is not to hang loose and must be taut.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority

OAC 901:9-2-14(B)	The ladder must have a thirty-six-inch fence or the equivalent on three sides and adequate padding on the deck.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(C)	Barriers or foul lines shall not be permitted.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(C)	A starting line only shall be permitted.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(C)	The car shall be completely released by the patron.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(C)	A prize shall be given every time.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(D)	Pool games shall have pegs so spaced that the total clearance is at least 1/4 inch greater than diameter of ball	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(E)	The slide board shall be level laterally and unwarped with no obstructions and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(E)	shall be maintained smooth at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(E)	When numbers are used, they shall be plain, with no blank targets.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(F)	The wheel shall be stationary at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(F)	The ball shall have one-and-one-fourth-inch clearance on one side.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(G)	The playing surface on which bottles are placed shall not be less than twelve inches square for a minimum of one hundred forty-four square inches per square area.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(G)	Bottles shall be placed in the center of the playing surface.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(G)	The playing surface shall be level at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(G)	The use of grease or wax on rings and playing surfaces or bottles is prohibited.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(G)	The string shall not be more than fifty-four inches long and not less than thirty-six inches long.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(G)	The pole shall not be longer than thirty-six inches and	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(G)	shall not be shorter than twenty-four inches.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(H)	The equipment shall be in good condition at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(H)	The slides or wires shall be straight and free of any obstruction.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority
OAC 901:9-2-14(H)	The slide board shall be plumb at all times.	ORC 1711.11	No, general rulemaking authority	No, general rulemaking authority